








JYOTI GROUP

Interior & Architectural Hardware



PRODUCT CATALOGUE



JYOTI GROUP
Interior & Architectural Hardware

SINCE 1992

Our Brands

dnd
MADE IN ITALY



AGB
Open, Close, Live
MADE IN ITALY



SFS intec
MADE IN ITALY



KLEIN
MADE IN SPAIN



KAWAJUN
MADE IN JAPAN



Our Brands



SKROMAN

MADE IN INDIA



sc herrajes®

MADE IN SPAIN



Viefe handles

MADE IN SPAIN



MENAGE
CONFORT

MADE IN SPAIN



Titus+

MADE IN SLOVENIA



About Jyoti Group



Jyoti Group comprises of two companies, viz. Jyoti Architectural Products Pvt. Ltd. (JAPPL) & Jyotiarch Interior Hardware Solutions LLP (JIHSL). JAPPL established in 1992, has always been known as importer and distributor of high-quality architectural & furniture fittings. Jyoti Group's products are highly appreciated & recommended in residential & commercial projects and are always looked up to by the top interior designers & architects.

Initially, the company was dealing into caster wheels and sliding folding system under the brands STB-JYOTI & DEEP-JYOTI which are still widely used across India. In 2007, the company started importing from SUPO & SRC, China, which today are known amongst India's top-selling caster & trolley wheels in retail & industrial sector.

In 2008 the company started importing high-quality premium furniture fittings from Europe. In a short span of time, the company started dealing with more than 10 European & Japanese companies which covers all the major solutions required in the industry. Big hardware brands like AGB, Titus, Viefe, Klein, SC Herrajes, Menage Confort, Kawajun, SFS Intec, DND, etc. were included in Jyoti Group's Catalog.

Resulting in this growth, it was imperative to form another company to cater to specific sectors & clients. This led in the formation of Jyotiarch Interior Hardware Solutions LLP.

Today Jyoti Group is growing & procuring new technologies from the best companies across the world. The directors & the partners of these companies are constantly striving to provide the best services and products to the market. Their acumen & administration skills have enabled Jyoti Group to gain a reputed position in this highly competitive industry.

Index

| | |
|---|-------------------|
| ARCHITECTURAL DOOR HARDWARE SOLUTIONS..... | 001 to 080 |
| DND..... | 001 to 020 |
| AGB..... | 021 to 036 |
| SFS..... | 037 to 048 |
| KLEIN..... | 049 to 072 |
| KAWAJUN..... | 073 to 080 |
| DIGITAL HARDWARE..... | 081 to 088 |
| SKROMAN..... | 081 to 088 |
| CABINET HANDLES..... | 089 to 166 |
| SC HERRAJES..... | 089 to 122 |
| VIEFE..... | 123 to 166 |
| KITCHEN & WARDROBE HARDWARE..... | 167 to 259 |
| MENAGE CONFORT..... | 167 to 208 |
| TITUS..... | 209 to 259 |

| | |
|--|-------------------|
| ARCHITECTURAL DOOR HARDWARE SOLUTIONS | 001 to 106 |
| DND | 001 to 020 |
| Timeless | 007 |
| Ginkgo | 009 |
| Ginkgo biloba | 011 |
| Chop | 013 |
| Joy | 014 |
| Joy 2 | 015 |
| Fold | 016 |
| Fold 2 | 017 |
| Cloe | 018 |
| Cloe 02 | 019 |
| Fedora | 020 |
| AGB | 021 to 036 |
| Polaries 2XT | 026 |
| Centro Focus Magnetic Lock | 027 |
| Mediana Evolution | 027 |
| Sicurezza 2.0 | 028 |
| Sicurezza DEAD LOCK | 028 |
| Sicurezza SR | 029 |
| Scivola Tre | 029 |
| SCIVOLA TRE - KIT A | 030 |
| SCIVOLA T - KIT B | 030 |
| SCIVOLA TRE - KIT M | 031 |
| MOD 701 | 031 |
| Eclipses 3.2..... | 032 |
| Multipoint Lock Sicurtop | 033 |
| Cylinder | 035 |
| SFS | 037 to 048 |
| W-Tec 3D+ 60 | 042 |
| W-Tec 3D+ 100 | 043 |
| W-Tec 3D+ 160 | 044 |
| W-Tec 3DL | 045 |
| W-Tec 3Ds | 046 |
| KLEIN | 049 to 072 |
| Rollglass+ | 057 |
| Unikglass+ | 061 |
| Lite glass+ | 065 |
| Lite+ | 069 |
| Slid | 071 |

| | |
|----------------------|-------------------|
| KAWAJUN | 073 to 080 |
| PA-58 | 078 |
| AC-784 | 079 |
| PC-397 | 080 |

DIGITAL HARDWARE.....81 to 088

| | |
|-----------------------------|-------------------|
| SKROMAN | 081 to 088 |
| Digital Door Locks | 086 |
| Glass Door Locks | 086 |
| Drawer Locks | 086 |
| Cabinet Locks | 087 |
| Other Locks | 087 |
| Smart Curtain Systems | 087 |

CABINET HANDLES.....089 to 166

SC HERRAJES.....089 to 122

| | | |
|-------------|-------------|---------------|
| 901.....092 | 368.....104 | 770.....114 |
| 902.....093 | 372.....105 | 769.....115 |
| 903.....094 | 376.....105 | 765.....115 |
| 844.....095 | 576.....105 | 762.....116 |
| 818.....095 | 708.....106 | 761.....116 |
| 843.....096 | 707.....106 | 768UP.....117 |
| 845.....096 | 706.....106 | 768.....117 |
| 842.....097 | 702.....106 | 773.....118 |
| 839.....097 | 701.....106 | 774.....118 |
| 837.....098 | 841.....107 | 822.....119 |
| 836.....098 | 840.....107 | 821.....119 |
| 835.....099 | 831.....108 | MT770.....119 |
| 834.....099 | 811.....108 | MT771.....119 |
| 825.....100 | 827.....109 | 25.....120 |
| 815.....100 | 826.....109 | 26.....120 |
| 816.....101 | 819.....110 | 22.....120 |
| 377.....101 | 820.....110 | 21.....120 |
| 813.....102 | 810.....111 | 757.....121 |
| 814.....102 | 812.....111 | 752.....121 |
| 378.....103 | 582.....112 | 755.....122 |
| 373.....103 | 848.....113 | 756.....122 |
| 365.....104 | 830.....114 | |

| | |
|-------------------------|-------------------|
| VIEFE | 123 to 166 |
| PEAK_0444..... | 126 |
| BRAVE_0452..... | 127 |
| GRAF2_0430..... | 128 |
| BRIKK_0334..... | 129 |
| CUTT_0322..... | 130 |
| ANGLE_0077..... | 131 |
| VANN_0375..... | 132 |
| ONA_0372..... | 133 |
| HEXXA_0449 | 134 |
| TAMM_0311..... | 135 |
| JEY2_0163..... | 136 |
| JEY_0127..... | 136 |
| STEEP_0380..... | 137 |
| GRADA_0343..... | 137 |
| FORMA_0250..... | 138 |
| NOMA_0254..... | 138 |
| CURVE_0117..... | 139 |
| STRATT_0465..... | 139 |
| NICK_0373..... | 140 |
| ARA_0239..... | 140 |
| U_0056..... | 141 |
| DINO_0053..... | 141 |
| KARES_0306..... | 142 |
| ROMA_0241..... | 142 |
| LAU_0200..... | 143 |
| THIN_0230..... | 143 |
| ASI_0341..... | 144 |
| SENSE MINI_0301..... | 144 |
| ARROW_0219..... | 145 |
| ESTE_0446 | 145 |
| FELTRE_0451..... | 146 |
| BELLA_0447 | 146 |
| CLOS_0235..... | 147 |
| CUBIC_0366..... | 148 |
| HOLLOW_0073..... | 148 |
| FLAT_0281..... | 149 |
| LOW ST_0243ST..... | 149 |
| RASO_0091..... | 149 |
| WAVE_0119..... | 150 |
| POCKET_0209..... | 150 |
| BALL_0374..... | 151 |
| BOXX_0376..... | 151 |
| HOOK_0114..... | 151 |
| GRAF_0109..... | 152 |
| ZAPA_0315..... | 152 |
| COMO_0168..... | 152 |
| PLEC_0282..... | 153 |
| CONCA_0287..... | 153 |
| TOPO_0336..... | 154 |
| MYRA_0337..... | 154 |
| DECO_0012..... | 155 |
| EME_0106..... | 155 |
| CLOUD_0116..... | 155 |
| NEXT_0134..... | 156 |
| SEIKO_0150..... | 156 |
| CORE_0074..... | 157 |
| REC_0320..... | 158 |
| DOMO_0294..... | 159 |
| QUATTRO_0007..... | 160 |
| PISTON_0009..... | 160 |
| PIRAMIDAL_0100..... | 160 |
| FINGER_0095..... | 160 |
| OPALE_0120..... | 161 |
| FRUIT_0113..... | 161 |
| ARA W_0239..... | 162 |
| CALIN_0165..... | 162 |
| BARCCO_0340..... | 163 |
| ECHO_0166..... | 163 |
| BALTO_0167..... | 163 |
| ROBOTS_0396-0399..... | 164 |
| NINOT_0123..... | 164 |
| MAGIC BALOONS_0154..... | 165 |
| THE EXPLORERS_0151..... | 165 |
| ANIMAL DREAMS_0142..... | 165 |
| JAZZ_6003..... | 166 |
| FONDA_6005..... | 166 |

| | |
|---|-------------------|
| KITCHEN & WARDROBE HARDWARE..... | 167 to 256 |
| MENAGE CONFORT..... | 167 to 208 |
| <i>Kitchen Equipment</i> | 173 to 181 |
| Base Unit | 173 |
| Corner Unit | 177 |
| Larder unit | 180 |
| <i>Bedroom Equipment</i> | 182 to 196 |
| Pull-out Trouser holder | 185 |
| Shoe Holder | 189 |
| Pull-out Baskets and Shelves | 190 |
| Hangers and Multipurpose Holders | 000 |
| Pull-out Mirror | 194 |
| Super lifts | 195 |
| <i>Structura Modular System</i> | 197 to 208 |
| <hr/> | |
| TITUS..... | 209 to 256 |
| <i>Slimline Drawer</i> | 213 to 217 |
| <i>Tekform Drawer</i> | 218 to 224 |
| <i>Sliding Door Solutions</i> | 225 to 231 |
| <i>Connectors</i> | 232 to 245 |
| System 4 | 233 |
| System 5 | 234 |
| System 6 | 240 |
| System 7 | 244 |
| <i>Concealed Hinges</i> | 246 to 252 |
| T-type Glissando 110 | 247 |
| S-Type 110 | 248 |
| B-Type 110 | 248 |
| Glissando | 249 |
| Glissando TL170 | 249 |
| S-Type 170 | 250 |
| B-Type Pie-cut | 250 |
| <i>Other Functional Fittings</i> | 253 to 256 |
| Push Latch | 252 |
| Push Latch with magnetic catch | 252 |
| Titusoft | 253 |
| Glisando CR | 253 |
| Joining Plates | 254 |
| Shelf Supports | 254 |

dnd



Company



A company with UNI EN ISO 9001 quality system certification

- Optimized design
- Constant training of human resources
- Controlled working environment
- Technologically advanced production
- Continuous monitoring



There are territories in Italy where the combination of history and the stories of people has become an admirable blend: one of those places is Val Sabbia, a pre-Alpine zone near Brescia bordered by Lake Garda to the east and Val Trompia to the west. A valley known for its historic vocation for the working of metals, the making of steel, the generation of strong objects – made by wielding a hammer, by casting, by die-casting – in old forges that have been transformed, over time, into solid industrial companies. This is the context for the story of Angelo Martinelli, who with his brothers, in 1968, in the town of Nozza, founded the company FMN Martinelli (Fratelli Martinelli Nozza), specializing in the production of handles and accessories for doors and windows. The Dnd trademark was created in 1998, with the aim of offering high-quality products on the market, thanks to collaboration with outstanding designers.



Today Dnd, helmed by Vilma Martinelli, is an important company with 50 years of history. Son and daughter Pietro and Simona – the third generation of the family – play an active role, creating a successful balance of craftsmanship, experience and innovation. A company that has evolved and concentrated on developing production capacity, updating processes and specializing in the shaping of new, different metals with which to make handles.

While at first it was the territory that drove the creativity of the company, today it is the company that plays a key role in Val Sabbia for the development of products, encouraging and supporting a network of crafts firms from which to order specific phases of production and finishing: a chain of manufacture that represents a remarkable value, an ideal extension and completion of a process that ensures the excellence of the products that Dnd, through its research, sets out to create. Today, also thanks to the expertise of the in-house staff, the company strives to be a forge of ideas for Italian and international contemporary design: a case of productive know-how at the service of the creativity of outstanding designers and architects, with whom Dnd establishes ongoing and solid relationships, looking to the future with confidence and curiosity.

Identity




The first logo, 1968




The new coordinated image of Dnd reflects a desire to play an exemplary role in the world of the best contemporary design. A clear, strong, solid image that shines through in every space of representation of the company. The new logo designed by Leonardo Sonnoli features an updated company name and a letter 'd' at an angle, like a handle during use. A logo that indicates a direction – the future – while at the same time embodying a dynamic present.

The catalogue, approached as a graphic environment of forceful clarity, becomes the ideal setting in which the handles – with their underlying values of form and finish – can be seen to best advantage. A catalogue that sets out to convey a statement of intent, marking a before and after in the world of those who produce handles, and those who love them: a book about an object that is capable of transforming our perception of a space, to enter the near future and the history of tomorrow of Dnd.

Door System



The Less is fine system has a thickness of just 4 mm. It has been developed in tune with the latest design trends. A patented double spring-loaded metal backplate facilitates installation. Dnd patent.



The parts are made with PA6 nylon, with uni-directional left or right spring. The backplate has a diameter of 50 mm and a thickness of 7 mm. Holes for attachment to wood, 38 mm centering, with or without connector nuts.


The inner spring and system are certified by AQM - Cert.2012-1000/Ppe in keeping with UNI EN 1906 standards.

Mechanical components wear and tear test. Opening and closing simulation to more than 200.000 cycles.

Category of use Grade 3: High frequenc of use by the public or others with little incentive to exercise care and with a high chance of misuse.

Durability Grade 7: high frequency of use 200.000 cycles.

Type of operation B spring-loaded furniture.



Less is fine



VIS



VIS

Summary

Door

| | | |
|--|---|--|
| VIS 50x7 mm square rose-escutcheon | FINE 50x4 mm square rose-escutcheon | 52 52x10 mm square rose-escutcheon |
| VIS 50x7 mm round rose-escutcheon | 52 52x10 mm round rose-escutcheon | FINE 50x4 mm round rose-escutcheon |
| B 50x10 mm rounded rose-escutcheon | R special rose-escutcheon | R special square rose-escutcheon |
| V oval rose-escutcheon | S narrow oval rose-escutcheon | S narrow rectangular rose-escutcheon |

Finish

Brass

| | | |
|---|--|---|
| OGH Bronzo satinato opaco Matt satin bronze | ONS Nickel satinato Satin nickel | OC Power cromo lucido Power polished chrome |
| PGS PVD grafite satinato Satin graphite PVD | PVD-BG PVD oro antico lucido Antique bright gold PVD | PVD-SG PVD oro antico satinato Antique satin gold PVD |
| PVD PVD Oro Gold PVD | ORO Placcato oro 24K Gold plated 24K | PGS PVD grafite satinato Satin graphite PVD |
| OBN Bianco White | ONO Nero Black | ONS Nickel satinato Satin nickel |

Zamak

| | | |
|--|--|---|
| ZC Cromo lucido Polished chrome | ZNS Nickel satinato Satin nickel | ZGH Bronzo satinato opaco Matt satin bronze |
| ZOL Ottonato lucido Polished brass color | ZNE Nero Black | ZBN Bianco White |

Aluminum

| | | |
|-----------------------------|---------------------------------------|-----------------------------|
| ASV Silver Silver | ARO Oro satinato Satin gold | ABR Bronzo Bronze |
| ABN Bianco White | ANE Nero Black | |

Fire resistance

Attestation of fire resistance
EN 1634-2 ED. 2008

Fire resistance and smoke control tests for door, shutter and openable window assemblies and elements of building hardware.

The Dnd products can be used for installation on doors and openable windows of similar type that had been tested according to EN 1634-2, and have been shown to have at last the same fire resistance.



Designer



Achille Castiglioni,
Gianfranco Cavaglia



Odo Fioravanti



Sandro Santantonio



Mario Padiglione



Andrea Morgante



Nicola Novelletto



Studio Hot Lab



Giulio Iacchetti



Karim Rashid



Didier Schweizer




Mauro Ronchi



Jaime Hayon



Marco Pisati



Enrico Martini




Inga Sempé

timeless

Design: Marco Pisati

Aluminium



ASV
Silver



ABN
White




ANE
Black






ARO
Satin gold *new*



ABR
Bronze *new*



FINE TL01



Two essential graphic signs, a line and a circle that intersect in a central and symmetrical way.

ginkgo

Design: Giulio Iacchetti

Hot Stamped Brass



OC
Power Polish Chrome



ONS
Power Satin Nickel




PGS
PVD Satin Graphite



PVD-BG
Antique Bright Gold



PVD-SG
Antique Satin Gold



FINE GK40



Good Design Awards
2017



*A form based on nature,
the special, unique shape
of a Ginkgo leaf, becomes
the structure and decoration
of a handle that is made in
two different versions.*

ginkgo biloba

Design: Giulio Iacchetti

Hot Stamped Brass



OC
Power Polish Chrome



ONS
Power Satin Nickel





PGS
PVD Satin Graphite



PVD-BG
Antique Bright Gold



PVD-SG
Antique Satin Gold



FINE GB40



Good Design Awards
2017



Ginkgo Biloba, the version of the Ginkgo handle with the decorative surface engraving, is a further metaphorical reminder of the veins of the leaf.

chop

Design: Didier Schweizer

Zamak



ZC
Polished chrome



ZNS
Satin Nickel



ZNE
Black




ZOL
Polished brass color *new*



ZGH
Matt satin bronze *new*



ZAN
Anthracite *new*



VIS CP12

joy

Design: Nicola Novelletto

Zamak




ZC
Polished chrome



ZNS
Satin Nickel



ZNE
Black



VIS JO12

joy 02

Design: Nicola Novelletto

Zamak





ZC
Polished chrome



ZNS
Satin Nickle



ZNE
Black



vis JO14

fold

Design: Mario Padiglione

Zamak



ZC
Polished chrome




ZNS
Satin Nickel



ZNE
Black



ZAN
Anthracite *new*



VIS F012

fold 02

Zamak

Design: Mario Padiglione



ZC
Polished chrome




ZNS
Satin Nickel



ZNE
Black



ZAN
Anthracite *new*



VIS F014




PGS
Satin graphite PVD



PVD-BG
Antique bright gold PVD



PVD-SG
Antique satin gold PVD



FINE CL40

cloe 02 *new*

Hot stamped brass

Design: Dnd Technical Division




PVD-SG
Antique satin gold PVD



PGS
Satin graphite PVD



PVD-BG
Antique bright gold PVD



FINE CL41

fedora *new*

Dnd Technical Division


Hot stamped brass



AB
Antique bronze



OGH
Matt satin bronze



VIS 530/12

AGB

Open, Close, Live




LOCKS




HINGES



CYLINDERS



MULTIPOINT LOCK



MADE IN ITALY

TIMELINE

1947



From the home workshop, Antonio moves to a small plant and his brother Mr. Giorgio Alban starts to cooperate with him in the administrative and commercial area.

AGB was founded in Bassano del Grappa as an artisan workshop by Mr. Antonio Alban who started to produce hinges for heavy steel gates and accessories for wooden doors by following in his father's footsteps, Giacomo Alban.

1953

Alban brothers move the business to a new headquarters in Romano d'Ezzelino. The company is constantly expanding.

1968



The conquest of Italian and foreign markets: AGB gains bigger market share, becoming a leader in many countries.

1980/1990

AGB opens a new highly automated warehouse in Cassola.

2000



AGB opens the third plant in Pove. A high tech department dedicated to the production of high security cylinders.

2005

Giacomo and Alessandra Alban, with the same passion of their uncle Antonio and their father Giorgio, undertake the general management of the company, ensuring continuity to AGB values and mission.

2008



AGB opens 4 branches abroad: AGB SL Logroño (Spain), AGB Italcenter (Serbia), AGB EST Pltd (Bulgaria), AGB (China).

2005/2012

AGB extends the production plant in Cassola.

2015



MADE IN ITALY



ITALIAN
PRODUCTION



MADE FOR YOU



CREATIVITY
AND INNOVATION



PARTNERSHIP



DESIGN

WE ARE MADE IN ITALY

We are made in Italy.
the company strategy is based on the values of the Italian culture, which is recalled on the production process and marketing choices: Italian production, product customization, passion for research and creativity are the main guidelines to develop the perfect product for each customer.

WE BELIEVE IN OUR COUNTRY

We produce in our 4 Italian plants in Romano d'Ezzelino, Pove del Grappa and Cassola. For us, quality is in pole position: keeping our know-how in Italy is our secret formula.
the choice came by the Alban family decision to hold tight their ties with the local community in order to preserve its wellbeing and stability.

WE DESIGN THE SOLUTION FOR YOU

Knowledge of the International market, qualified product managers for each product range, Italian production controlled step by step, AGbLab Research & development laboratory: these are the strategic choices which allow us to offer personalized solutions for the customer.
It is a production made for you, dedicated to you.

WE KEEP INVESTING IN IDEAS AND TECHNOLOGIES

We believe the best of technology and creativity is the perfect mix for a product even more competitive. Excellent results come only from the fusion of ideas, competence and skills. they are guaranteed by certifications given to manufacturing processes and products.
We love designing, testing and creating new solutions.

WE HELP YOU TO IMPROVE YOUR PRODUCT

The perfect solution comes by teamwork, where the customer and the supplier are in partnership and they collaborate to improve their performances. We help the customer testing directly his products in our laboratories and sharing the test results with our qualified technicians. our technical promoters are trained to help the customer on technical issues and product development.
We work with the customer before, during and after the sale.

WE DESIGN THE SOLUTION FOR YOU

our products are technologically advanced and beautiful, too.
the continue research brings us to simplify every single product part. the design of each item is minimalist, clear and linear.
the hardware is not just a structural element anymore, but it's also considered an essential part for the final product design.
so, it becomes beautiful and can be shown.



LOCKS

Range of locks for entrance and interior doors, available in many models and for all application types: interior doors, entrance doors, sliding doors, bathroom doors and hotel doors. It is possible to combine them with AGB Scudo and PS cylinders with stainless steel U-shaped reinforced insert and duplicated controlled key. The access control system Opera Bit is perfect for hotels and communities.



HINGES

The hinges, normally a secondary element of windows and doors, are instead one of the most important components as they are decisive for the moving. AGB proposes hinges for all types of windows and doors: from simple hinges for wooden frames to up-to-date and complex adjustable hinges, with three possible dimensional adjustments.



MULTIPOINT LOCKS

The Multipoint locks are the best solution for the closing of entrance and french doors. The contemporaneous fastening on more locking points, with locking cams, hooks and bolts, remarkably improves the door security. Models available: Sicurtop operated by the cylinder, Unitop operated by the handle.




CYLINDERS

Complete series of European profile security cylinders, all produced in conformity with UNI 9570 standard specifications and certified according with the EN 1303. The SCUDO and PS cylinders provide incremental levels of passive and active security. Non-handed, high-resistance brass and nickel silver keys. TENAX protective rim guard guarantees even higher anti-burglar protection.

LOCKS

Range of locks for entrance and interior doors, available in many models and for all application types: interior doors, entrance doors, sliding doors, bathroom doors and hotel doors. It is possible to combine them with AGB SCUDO and PS cylinders with stainless steel U-shaped reinforced insert and duplicated controlled key.



Fire resistance and smoke controlled tests.



CE mark according to EN 12209: requirements and test methods for locks.



Patented product.



Accredited unit.



Accredited unit.




EASY-FIX XT
Traditional design, innovative solutions: surface mounted plate and clip-in cover tray.

POLARIS 2XT




- 85 mm (U)
- 18 mm
- 60 mm
- 8 mm
-
- steel



06 Nickel plated 12 Antique brass






Polaris 2XT is a magnetic movement lock. It is particularly suitable for modern internal doors, thanks to its 'lean' look design, certified at the highest grade.





CENTRO FOCUS

New
MEDIANA
EVOLUTION



-  85 mm (U)
-  18 mm
-  50 mm
-  8 mm
- 
- steel

-  85 mm (U)
-  18 mm
-  60 mm
-  8 mm
- steel





SICUREZZA 2.0




SICUREZZA DEAD LOCK




- 85 mm
- 22 mm
- 45/50/60/70 mm
- 8 mm

steel, brass, stainless steel

Bolt only, without spring latch version also available.



- 18 mm
 - 60 / 70mm
- steel






The **new patented latch** has been realised co-moulding metal and self-lubricating plastic materials. AGB matched the best qualities of the two materials ensuring **solidity** and **silence** during the closing movement. The 4 lateral guides, in fact, drive the latch movement until it get completely into the lock, ensuring **maximum fluidity**, **smoothness** and noise reduction.







SICUREZZA SR *New*



SCIVOLA TRE

-  22 mm
-  60 mm
-  roller latch

steel, stainless steel

-  70 mm
-  18 mm
-  50 mm
-  8 mm





steel







Lock with return hook. Reduced bulk. Thanks to the standardization of the mill hole, Scivola Tre allows to choose the type of closing while executing the set up: cylinder hole, key hole and WC hub.





SCIVOLA TRE - KIT A

-  70 mm
 -  18 mm
 -  50 mm
 -  8 mm
- steel





SCIVOLA T - KIT B


-  70 mm
 -  18 mm
 -  50 mm
 -  8 mm
- steel








SCIVOLA TRE - KIT M

-  70 mm
 -  18 mm
 -  50 mm
 -  8 mm
- steel



MOD. 701

-  22 mm
 -  50/60 mm
- steel



Embedded lock with return hook.





CONCEALED HINGES

ECLIPSE

INVISIBLE FROM OUTSIDE,
IMPROVES THE DOOR DESIGN

AGB introduces the ECLIPSE project: the range of concealed hinges for internal doors combines design, technological functionalities and installation simplicity. This quality has been possible thanks to the knowledge grown up by AGB in 70 years of experience.



ADJUSTMENTS



RANGE



FINISHES



SIMPLICITY OF
MANAGEMENT
AND INSTALLATION



Hinge for wood



Hinge for aluminium



Max. extension



EN 1634


Fire resistance and smoke controlled tests.



EN 1935

CE mark according to EN 1935:
requirements and test methods for hinges.

Frame part Sash part



115 mm


14 mm

zamak

ECLIPSE 3.2



- Concealed hinge for flush doors with or without rebate and aluminium doors, thanks to the 4 mm thickness of the hinge fastening.
- Completely invisible thanks to the reduced dimensions.
- Easy installation: sash and frame parts can be assembled separately during production and joined on site.
- Aluminium flush covers with edges hide every defect on workings.
- Three independent adjustments: pressure adjustment: ± 1 mm ①, vertical adjustment: ± 2 mm ②, horizontal adjustment: $\pm 1,5$ mm ③.



13
Satin
nickel



34
Matt
chrome




93
Black





| ECLIPSE Models | TECHNICAL INFORMATION | | | | | | APPLICATIONS | | | CERTIFICATIONS | |
|----------------|--------------------------------|-------------|---------|----------------|--------------------|-----------------|-------------------------|----------------------------|-----------------------|--------------------------------|----------------------------|
| | kg | ↔ | ↻ | ↕ | FLUSH | SURFACE MOUNTED | FLUSH DOORS WITH REBATE | FLUSH DOORS WITHOUT REBATE | ALUMINIUM FLUSH DOORS | EN 1634 | ift |
| | CAPACITY | ADJUSTMENTS | OPENING | MAX. EXTENSION | COVERS APPLICATION | | | | | FIRE AND SMOKE RESISTANT DOORS | EAD 020001-01-0405 EN 1935 |
| 3.2 | H x 3 = 60 kg H x 2 = 40 kg | 3 | 180° | 14 mm | ● | | ● | ● | ● | 30 min | ● |

MULTIPOINT LOCK

The Multipoint locks are the best solution for the closing of entrance and french doors. The contemporaneous fastening on more locking points, with locking cams, hooks and bolts, remarkably improves the door security. Models available: SICURTOP operated by the cylinder.

SICURTOP is the ideal locking system for entrance and garden doors. It can be installed on wood, PVC or aluminium / wood sashes. The locking points, suitably distributed on the forend, ensure an excellent resistance against break-in attempts. Especially, the patented lock Poseidon, where lower and upper hooks close on opposite directions and avoid the unhinging of the door by means of lifting or removal of the rebate from the frame.






-  Poseidon
-  Bolt + roller cam
-  Telescopic mushroom cam
-  Adjustable roller cam



SICURTOP

- Lock with several locking points and cold pressed steel gears.
- The cylinder operates bolt and locking points.
- Smoothness and security closing movement with 2 throws.
- Compatible with terminals and extensions.
- Compatible with protective rim guard Tenax.

-  85 mm
-  20 mm
-  70 mm



POSEIDON




- Patented lock for a maximum antiburglar security.
- Two opposite facing hooks and central bolt guarantee solidity and door security.



SKG certification, equivalent to the 2nd resistance class according to the regulation EN 1627.

SICURTOP POSEIDON
MULTIPOINT LOCK




Intermediate locking point

Poseidon
Patented lock where hooks and bolts are made of solid steel blades in order to guarantee maximum strength and security to the balcony door.





Central lock

Central locking point with spring latch bevelled on both sides
Thanks to its special design, it always guarantees the perfect closing of the door.



The spring latch is easy to reverse using a common screwdriver.



CYLINDERS

AGB offers a complete range of cylinders and accessories to satisfy all the requests about security and access control, giving the perfect solution for each kind of installation. AGB cylinders are completely made in Italy, in the dedicated plant in Pove del Grappa. Every cylinder exceeded the strict tests required by the European regulation EN 1303, guaranteeing security, quality and long-lasting durability.

EXTREME PRECISION



Maximum precision



Attention to details



High quality

AUTOMATED ASSEMBLY



Automated production



Express delivery



Customisation

AUTOMATIC TESTS



Strict tests in AGBLab



Automated control



Tested one by one

AGB CYLINDERS A warranty of security



High bumping resistance



Hardened steel anti-drill pins



U-shaped reinforcement

AGB KEYS Billions of combinations



Controlled duplication



Ergonomic grip



Key system management



Fire resistance and smoke controlled tests.




Accredited unit.



Security and quality certification of the imported products in Russia.




Dutch certification on the anti-burglar resistance.




5000 PS

- 3 anti-drill pins in steel on each side. ①
- 6 active pins ② and 9 passive pins ③ for a wide range of coding.
- Anti-pull cam in sintered steel. ④
- High resistance to bumping, certified according with ICIM 70R009. ⑤
- 5 flat reversible keys with long neck that are resistant to torsion. ⑥
- Possibility to personalise the grip with many different coloured covers. ⑦
- Available with double function (2 keys inserted in the same time).
- Suitable for fire and smoke resistant doors.



MOD. 600

- 4 or 5 pins in brass for the coding. ①
- Anti-pull cam in sintered steel. ②
- 3 profiled nickel plated brass keys. ③
- Wide possibility of existing coding.
- Suitable for fire and smoke resistant doors.




CYLINDERS RANGE

| | 5000 PS | MOD. 600 |
|---|---|---|
|  key - key |  |  |
|  half - key |  |  |
|  knob - key |  |  |
|  knob - emergency | |  |
|  half - knob | |  |

SYSTEMS


KA

Key alike system




MK

Master key system




GMK

General master key system




CC

Central cylinder system



CCMK

Central cylinder system and master key



FINISHES RANGE



01

Polished Gold



12

Antique brass



13

Satin nickel plated



30

Polished Chrome



F9

Black titanium



84

Matt black

CUSTOMISATION All the AGB cylinders can be personalised according to your needs.





Up to 175 mm on each side, at 5 mm intervals

PASS KEY



The Pass key is available on request: the pass key is deactivated automatically when customer uses one of his keys for the first time. For availability, please make reference to the price list in force.

Lever Bolt - 16 mm Forend



W-Tec 3D+

The concealed hinge -
durable and easy
to install

W-Tec 3Ds

The slim and robust
concealed hinge also
for narrow profiles

W-Tec 3DL

The massive, stable,
safe, invisible hinge





The SFS group has been in business for more than 50 years. During this time it has continually evolved, becoming even more adaptable to the demands of the markets. From 2013 the activities of the Group have been divided into three segments and each segment offers its services and products under four different brands. The common goal is always the same: to create benefits for the customers.

In the **Engineered Components** segment, we act as a development and manufacturing partner for precision cold formed components, special fasteners and assemblies. Under the brand **SFS intec**, we mainly deal with the automotive industry and general industrial sectors. Under the brand **Unisteel** we serve customers in the electronics industry.

The **Fastening Systems** segment operates as an innovation and solutions provider for application-optimized fastening systems and hinges.

the concealed hinge - durable and easy to install



Under the brand **SFS intec**, we serve the construction industry and under the brand **GESIPA**, the automotive industry, trade and other general industrial application segments.

In **Distribution & Logistics** segment we are in our home market of Switzerland under the brand, **SFS unimarket**. We stand out as a reliable supply and logistics partner for trade, crafts and industry. The product range includes fasteners, tools, hardware and building supplies.

Over 7000 employees are ready to assist customers in more than 70 sites spread over 25 countries.

SFS intec S.p.A in Pordenone produces hinges for doors and windows for the SFS sites worldwide.

W-Tec 3D+

Stability and durability.

The unique 7 axis kinematic mechanism, the carefully chosen materials for the three levers that carry the weight of the door, offer maximum efficiency and stability over time.

There is no need to intervene once the door has been mounted and set. The particular kinematic mechanism keeps the door straight and prevents elliptical movement when opening and closing. Thanks to this feature, there is minimal wear and tear, even when heavy weights are used.

The adjustments are all independent from each other. Once assembled, the hinge can easily be set by one person thanks to the innovative adjustments. Available in three versions, they can be applied on all frames: solid wood, coated or steel with the appropriate accessories.

The top of the range versions for heavy doors W-Tec 3D+ 100 and 160 are interchangeable. This feature allows the user to always mill frames and doors with the same sizes, being able to choose the hinge most suitable to the weight and use of the door as required to replace at the last minute.

SFS intec turn ideas into reality

the slim and robust concealed hinge also for narrow profiles



W-Tec 3Ds

The demand for doors suitable for environments characterised by a simple design has been constantly increasing, as well as the tendency to use profiles so thin that they blend perfectly into the environment. W-Tec 3Ds is the ideal hinge for this type of application.

W-Tec 3Ds is a variant of the W-Tec 3D+ range and, just like all the hinges in this range, is extremely stable thanks to its 7-axis internal mechanism.

W-Tec 3Ds features two mechanical height and horizontal adjustments of +/- 3mm and manual depth adjustment +/- 1mm. All adjustments are independent from each other.

The W-Tec 3Ds hinge with minimum overall dimensions both on the sash and on the frame can be mounted on profiles from 24mm.

It also fully meets the demand of door manufacturers to be able to use a single product for flush applications and so-called rebated flush fit applications.



W-Tec 3DL hinge - It's massive, stable, safe yet invisible

Designers are continually demanding ever higher performance from extremely heavy doors. To meet these requirements, SFS has developed its concealed hinge range to include the W-Tec 3DL.

The W-Tec 3DL hinge combines superior technical values to meet higher resistance and safety standards with an ultra-modern design. Thanks to its internal 7-axis mechanism and the special shape of its exceptionally strong levers, the W-Tec 3DL is totally stable and secure.

The W-Tec 3DL is +/- 3mm adjustable laterally and in height and +/-1mm adjustable in gasket pressure. To facilitate door assembly, the frame can be fixed separately with the hinge case already applied.

SFS intec turn ideas into reality

W-Tec 3D+

the concealed hinge designed to be durable and easy to use in any context

The W-Tec 3D+ hinge is an SFS intec product, guaranteeing quality thanks to strict controls both in the manufacturing process and in tests performed on the hinge itself.

SFS intec is also available to offer solutions tailored to specific customer needs.

| Load capacity | W-Tec 3D+ 60 | W-Tec 3D+ 100 | W-Tec 3D+ 160 |
|---------------|--------------|---------------|---------------|
| 2 hinges | 50 kg | 80 kg | 140 kg |
| 3 hinges | 60 kg | 100 kg | 160 kg |

- independent adjustments possible by a single person
- adjustable in height, laterally and gasket pressure
- new 7-axis kinematic mechanism
- 3 levers always keep the mechanism aligned
- the levers are independent from each other
- individual levers transfer the weight in an innovative way
- material for the levers was chosen for maximum performance
- hinge stable over time
- no need for intervention once mounted and set
- perfectly perpendicular functionality minimises wear and tear
- door hinge ranges up to 60 kg, 100 kg and 160 kg
- symmetrical milling with two depths
- simple independent adjustments
- various finishes
- milling devices available



W-Tec 3D+ 60

the concealed hinge designed to support doors weighing up to 60 kg.




| Load capacity | W-Tec 3D+ 60 |
|---------------|--------------|
| 2 hinges | 50 kg |
| 3 hinges | 60 kg |

| Ref. | W-Tec 3D+ 60 |
|------|--------------|
| A | 4 |
| B | 26 |
| C | 6 |
| D | 31 |
| E | Min. 34 |
| F | 13 |
| G | 134 |
| H | 111 |
| I | Min. 35 |

| Hinge order code | Finish |
|----------------------|----------------|
| 1428632 W-Tec 3D+ 60 | Matt Chrome |
| 1407864 W-Tec 3D+ 60 | Black RAL 9005 |

Material: Zamak and steel
 Cycles tested: 2,00,000 Cycles
 Door weight: 60 Kg



W-Tec 3D+ 100

the concealed hinge designed to support doors weighing up to 100 kg.




| Load capacity | W-Tec 3D+ 100 |
|---------------|---------------|
| 2 hinges | 80 kg |
| 3 hinges | 100 kg |

| Ref. | W-Tec 3D+ 100 |
|------|---------------|
| A | 4 |
| B | 30 |
| C | 7 |
| D | 36 |
| E | Min. 38 |
| F | 15 |
| G | 160 |
| H | 132 |
| I | Min. 40 |

| Hinge order code | Finish |
|-----------------------|------------------------|
| 1428633 W-Tec 3D+ 100 | Matt Chrome |
| 1383906 W-Tec 3D+ 100 | Light Bronze - Antique |
| 1407865 W-Tec 3D+ 100 | Black |
| 1361254 W-Tec 3D+ 100 | Brassed - Bright Gold |

Material: Zamak and steel
 Cycles tested: 2,00,000 Cycles
 Door weight: 100 Kg



W-Tec 3D+ 160

the concealed hinge designed to support doors weighing up to 160 kg.




| Load capacity | W-Tec 3D+ 160 |
|---------------|---------------|
| 2 hinges | 140 kg |
| 3 hinges | 160 kg |

| Ref. | W-Tec 3D+ 160 |
|------|---------------|
| A | 4 |
| B | 30 |
| C | 7 |
| D | 36 |
| E | Min. 38 |
| F | 15 |
| G | 160 |
| H | 132 |
| I | Min. 40 |

| Hinge order code | Finish |
|-----------------------|-------------|
| 1428631 W-Tec 3D+ 160 | Matt Chrome |
| 1544451 W-Tec 3D+ 160 | Black |

Material: Zamak and steel
 Cycles tested: 2,00,000 Cycles
 Door weight: 160 Kg



W-Tec 3D+ 160

W-Tec 3DL New

the concealed hinge designed to support doors weighing up to 200 kg.




- Stable thanks to the new internal 7-axis mechanism
- Easy adjustments all independent and mechanical
- Applicable to different profile thicknesses
- Wide range of colours on request
- For timber, steel and cover frames
- Milling templates available
- Load capacity up to 200 kg. with 2 hinges

| Hinge order code | Finish |
|-----------------------|-------------|
| 1558801 W-Tec 3DL VCO | Matt Chrome |

| Load capacity | W-Tec 3DL |
|---------------|-----------|
| 2 hinges | 200 Kg |

Material: Zamak and steel
 Cycles tested: 2,00,000 Cycles
 Door weight: 200 Kg



W-Tec 3Ds

the slim and robust concealed hinge for narrow profiles




- Stable thanks to the new 7-axis internal mechanism
- Easy adjustments all independent from each other
- Minimal dimensions, especially in depth, for narrow profiles
- Wide range of finishes on request
- For solid or covered wood and steel frames
- Milling jig available
- **Capacity up to 60 kg tested with 2 hinges**



| Hinge order code | Finish |
|-------------------|-------------|
| 1493626 W-Tec 3Ds | Matt Chrome |

| Load capacity | W-Tec 3Ds |
|---------------|-----------|
| 2 hinges | 60 kg |


Material: Zamak and steel
 Cycles tested: 2,00,000 Cycles
 Door weight: 60 Kg





Load capacity values of hinge W-Tec 3D+ 60




Load capacity values of hinge W-Tec 3D+ 100




Load capacity values of hinge W-Tec 3D+ 160



Load capacity values of hinge W-Tec 3DL



Load capacity values of hinge W-Tec 3Ds



Load capacity values of hinges by SFS intec

The stated weight capacity value was calculated using a dynamic test carried out according to the RAL standard, involving:

- 200,000 opening movements at 90°
- door measuring 2000mm (height) x 1000mm (width)
- 2 fitted hinges

It is important to bear in mind not only the stress due to structural factors (weight and dimensions) but also the external factors to which the system is subjected, as these can affect the weight capacity and life-span of the hinge, for example:

- measurements of the door outside the tolerance ranges (width and/or height)
- place of installation and use of the door (residential buildings, public buildings, schools, nurseries, etc.)
- frequency of opening
- presence of obstacles that prevent opening and/or closing (doorstops, reveals, etc.)
- self-opening/self-closing mechanism
- inward or outward opening of the doors
- weather conditions
- type of door/window material (Wood, PVC-U, aluminum etc.)

Care should be taken to choose the most suitable system, bearing in mind the factors listed above and the following variables:

- number of hinges fitted
- position in which the hinges are fitted
- type of hinges fitted

The essential requirements for ensuring the best performance of a hinge are:

- correct installation of the hinge, its accessories and of the door itself
- stability and correct installation of the frame

Number of hinges to be fitted

In the case of some of the factors listed overleaf, there are formulas for correct calculation of the stress to which the hinges are prone.

Installation of additional hinges.

Additional hinges are usually fitted symmetrically for aesthetic reasons or to ensure pressure on the seal at the center.

In any case, the fitting of additional hinges at the points under greatest stress improves the weight bearing capacity.

For example, if the door is of above standard width, the third hinge should be fitted at an average distance of 300mm from the upper hinge.

Likewise, when there is a door stop on the floor, the additional hinge should be fitted near the lower one.

KLEIN®



About us

We are experts in the design and manufacturing of systems for sliding and folding partitions and doors. Our values are rooted in continuously striving for excellence, and thus ensuring that our customers are extremely satisfied with the quality, design, functionality and service that we offer.

We support professionals working in the fields of architecture and construction by being involved in their projects from the start and providing them with applications that allow them to create unique and versatile spaces with complete conceptual freedom.

**+
85**

YEARS
EXPERIENCE



NETWORK
WORLDWIDE

5

YEARS
WARRANTY

Always Better Since 1931

Our professional experience dates back to 1931, the year that our company was founded. Since then, we have continued to evolve, combining our artisanal craft with the most innovative production systems. The small workshop where we started has grown into an international company, with a subsidiary in the United States.

The values that have guided us to where we are today are still as present as ever: our relentless pursuit of excellence, commitment to investing in research, development and innovation, and active incorporation of ideas from professionals in the architecture and construction fields have laid the foundation for KLEIN's global success and continue to lead us on our path forward.



Research & Development

Our R+D+i department is at the core of our new product design and creation process, guardians of the brand's extremely high standards. We carry out all phases of design, 3D modeling, prototyping and testing at our facilities in Barcelona, as well as the manufacturing of all our products.

Our systems are exclusively produced with European-made aluminum. After being tested to over 100,000 cycles, all of our systems exceed the EN 1527 standard and come with a 5-year warranty.

We are proud of our customers and suppliers' international recognition, as well as the backing we have received from leading international certification organizations and design entities.



Light

We use natural light, a source of life and joy, as a creative element, turning it into a transformative architectural tool capable of creating spaces full of strength and modernity.



Balance

Our systems make the concept of spatial fluidity a reality: they are rooted in elements of connection, balance and visual harmony.

Movement

We generate dynamic spaces, capable of being transformed through organic movement that respects the rhythms of life.





Unique Interiors

We combine light and movement to create balance in interior spaces. We innovate to design sliding and folding applications that allow architects to connect, open up and create comfortable and beautiful rooms.

Innovate with Meaning

KLEIN systems are designed to add value to interior design projects: total architectural integration, limitless project creativity, a variety of finishes, and easy installation and maintenance. The highest quality, down to the smallest detail.



reddot award 2018
winner




Delta Selection
ADI Awards
2018



Product Performance
EN1527
Reg.-Nº: 18001144



News 2019



New Front & Ligne

Our new FRONT and LIGNEA systems create beautiful spaces by combining fixed glass panels with sliding wood doors, both located on a single profile. Every last detail counts when striving for perfection and customization

KSC-Klein Soft Closing


Our own braking device, tested to 100,000 cycles in accordance with the EN 1527 standard and certified by the seal of the IFT. Cutting-edge technology for glass and wood applications. Comfort and safety for the user.

Recessed Frame Track

Total architectural integration. Its easy installation, carried out in two phases, guarantees maximum efficiency and the invisibility of the system.

New Black And Bronze Matte Finishes

Customization and character for one-of-a-kind projects. Trends combined with elegance.





Glass: Transparency and freedom

SPACES WITHOUT BORDERS

Freedom to connect, open up or create spaces, without barriers. Although glass is pure transparency, it becomes the protagonist of the architecture, boosting natural light and playing with shadows. Our systems allow its spectacular beauty to be put on display with absolute simplicity. Without frames. Without floor tracks. Less is more.



The new KLEIN+ clamp fastens the glass with pressure, doing away with the need for frames and drilling. Without any floor tracks, the laminated or tempered glass seems to float, sliding along smoothly, regardless of its size.

| PRODUCT | WEIGHT* | BRAKE | | | MOUNTING | | |
|--|------------|-------|-----|------|----------|---------|----------|
| | KG. | KBS | KSC | SELF | WALL | CEILING | RECESSED |
|  ROLLGLASS+ | 50/100/150 | ● | ● | | | ● | ● |
|  UNIKGLASS+ | 100 | ● | ● | | ● | ● | ● |
|  LITE GLASS + | 100 | | ● | | ● | ● | ● |

* The weight is calculated based on the following formula: Height [m] x Width [m] x Thickness [mm] x 2,5 = Weight [kg]



Product Performance
EN1527
Reg.-Nº: 18001144



reddot award 2018
winner



Rollglass+

Rollglass+ creates a glass front that combines fixed and mobile glass panels on a single track. It can be hidden in a drop ceiling for a completely minimalist effect, with a recessed frame track that allows for a phased installation. Versatile and flexible, it allows for various combinations, and is precise down to the smallest detail.

Available with or without a bottom profile for the fixed glass. Easy installation (for Rollglass+ 50/100).


Door braking systems available:

KSC - Klein Soft Closing, smooth, controlled closing.

KBS - Klein Brake System, stop with damper brake available for Rollglass+ 50/100.

● Alu. Silver Matte




| | |
|--------------|--------|
| | 50 kg |
| Max. weight: | 100 kg |
| | 150 kg |
| Brake: | KSC |





ROLLGLASS+ 50/100

ROLLGLASS+ 150




$Y1 = H1 - 47 \text{ mm (1 13/16")}$

$Z1 = H1 - 74 \text{ mm (2 7/8")}$

$Z1 = H1 - 74 \text{ mm (2 7/8")}$

$Y1 = H1 - 35 \text{ mm (1 3/8")}$



ROLLGLASS+ 50/100 KSC: $V \geq 800 \text{ mm (31 1/2")}$
 ROLLGLASS+ 150 KSC: $V \geq 1.000 \text{ mm (39")}$





Product Performance
EN1527
Reg.-Nº: 18001144



Unikglass+

Unikglass+ connects rooms with a single sliding glass panel. Restrained and discreet, it saves space and adds modernity. It can be hidden in a drop ceiling for a completely minimalist effect, with a recessed frame track profile that allows for a phased installation. The beauty of simplicity.

Easy installation (for Unikglass+ 50/100).


Door braking systems available:

KSC - Klein Soft Closing, smooth, controlled closing.

KBS - Klein Brake System, stop withdamper brake available for Unikglass+ 50/100

● Alu. Silver Matte


| | |
|--------------|-------------|
| Max. weight: | 50 kg |
| | 100 kg |
| | 150 kg |
| Brake: | KSC KBS* |






EXPOSED

UNIKGLASS+ 50/100



$Y1 = H1 + X1 + 16 \text{ mm (5/8\")}$


UNIKGLASS+ 150




$Y1 = H1 + X1 + 27 \text{ mm (1 1/16\")}$

RECESSED



WITH LINTEL



WITHOUT LINTEL



WITHOUT LINTEL



UNIKGLASS+ 50/100 KSC: $V \geq 800 \text{ mm (31 1/2\")}$
 UNIKGLASS+ 150 KSC: $V \geq 1.000 \text{ mm (39\")}$





Lite Glass+

The **Lite Glass/Lite Glass+** line connects rooms with a sliding door. It offers numerous configurations, such as bi-passing or bi-parting doors.


Its Top profile allows the profile to be recessed in a drop ceiling.

Optional braking system with Lite Glass+ 100:
KSC - Klein Soft Closing, smooth, controlled closing.


● Alu. Silver Matte

| | |
|--------------|--------|
| Max. weight: | 100 kg |
| Brake: | KSC |


LITE GLASS / LITE GLASS+ 100



LITE GLASS / LITE GLASS+ 100



PERFIL TOP / TOP TRACK





Wood: Warmth and customization



SPACES IN MOVEMENT

Are they doors or partitions? Do they connect or transform spaces? They are a world of possibilities.

Mobile wood panels create flexible rooms in which the interior woodwork becomes the protagonist. The beauty and elegance of this material, as well as the variety of finishes and sizes available, allow your creativity to flourish.

Floor-to-ceiling wood, without floor tracks, slides along smoothly, transforming its surroundings as if through magic. Spectacular sizes that increase and enhance the quality of the space.



| PRODUCT | WEIGHT* | BRAKE | | | MOUNTING | | |
|--|---------|-------|-----|------|----------|---------|----------|
| | Kg. | KBS | KSC | SELF | WALL | CEILING | RECESSED |
|  LITE+ | 100 | | ● | | ● | ● | ● |
|  SLID | 150 | | | | ● | ● | ● |

* The weight is calculated based on the following formula: Height [m] x Width [m] x Thickness [mm] x Density = Weight [kg]






Lite+

The **Lite / Lite+** line connects rooms with a sliding wood panel. It offers numerous configurations, such as bi-passing or bi-parting doors. There are two types of fittings: Superior (exposed) and Retrac (hidden in the panel). The Top version allows the profile to be recessed in a drop ceiling.


Mobile partitions that transform interior spaces.


Optional braking system for Lite+ 100:
KSC - Klein Soft Closing, smooth, controlled closing.

 Alu. Silver Matte

| | |
|--------------|--------|
| Max. weight: | 100 kg |
| Brake: | KSC |

LITE / LITE+ 100







Slid

Slid is designed to divide spaces with wood or metal panels. Smooth, effortless sliding.


It offers numerous configurations, such as bi-passing, bi-parting doors or corner doors. There are two types of fittings: Superior (exposed) and Retrac (hidden in the panel). The Top profile allows the profile to be recessed in the drop ceiling. The Intra version allows the panel to be installed between walls.

Mobile partitions that transform interior spaces.

● Alu. Silver Matte


Max. weight: 150 kg

SLID 150




SLID 150

SUPERIOR



RETRAC



KAWAJUN

InteriorHardware





KAWAJUN


Realization possible because it is KAWAJUN

This is our art, backed by more than 65 years of history, reliable technique and a determination to our craftsmanship.

KAWAJUN offers design-oriented interior hardware products for sophisticated residential spaces.

Boasting sophisticated design and unrivaled quality, KAWAJUN's decorative interior hardware products have built a loyal worldwide base of customers who recognize our commitment to maintaining standards that far exceed the norm. We select only the best materials available, manufacturing and finishing them with meticulous craftsmanship.

KAWAJUN products are designed to be both aesthetically striking, universally practical and convenient. We continue to deliver the level of quality demanded by the increasingly individualized market for decorative interior hardware.



About Us

The top quality of KAWAJUN brands is the result of thorough and intensive production management at our manufacturing center.

Our customer-centric approach is epitomized at our Imaichi Technical Center, where a wide variety of operations from production to quality assurance to distribution take place.

Our focus is not only on the management of quality and speed, but also on maintaining an “intelligent” manufacturing center whose flexible production methods meet the need for individualization and diversification.

We continue to provide products of unrivaled quality through seamless operations, information sharing and intensive assurance efforts to maintain and further improve our competitiveness in cost and quality.

KAWAJUN Industry, our manufacturing division in Tokyo, responds to the needs of our customers quickly and flexibly.

KAWAJUN Industry has perfected our production management system over the last 40 years. We have taken our quality assurance to the next level by examining each step of our production process, from polishing to plating to surface finish. We are committed to provide products of the highest possible quality in terms of resistance to wear and tear, corrosion, harsh environment and high degree of adherence.

We continue to invest heavily in research and development in areas ranging from finish color management to new color development.
(ISO 9001 Certified Plant)



PA-58 **int**

Material: Aluminium
Application Size: 30-1,800mm

| L Measurement | Stain Color Hairline | Dark Bronze | Number of Screw Holes | P Measurement |
|---------------|----------------------|--------------|-----------------------|---------------|
| 30 | PA-58-Z30 | PA-58-4Q30 | 2 | 18 |
| 60 | PA-58-Z60 | PA-58-4Q60 | 2 | 40 |
| 150 | PA-58-Z150 | PA-58-4Q150 | 2 | 130 |
| 300 | PA-58-Z300 | PA-58-4Q300 | 3 | 140 |
| 800 | PA-58-Z800 | PA-58-4Q800 | 5 | 195 |
| 1200 | PA-58-Z1200 | PA-58-4Q1200 | 5 | 295 |
| 1800 | PA-58-Z1800 | PA-58-4Q1800 | 9 | 222.5 |

| L Measurement | Number of Screw Holes | L Measurement | Number of Screw Holes |
|---------------|-----------------------|---------------|-----------------------|
| 30-49 | 2 | 900-999 | 5 |
| 50-99 | 2 | 1000-1099 | 5 |
| 100-199 | 2 | 1100-1199 | 5 |
| 200-299 | 2 | 1200-1299 | 7 |
| 300-399 | 3 | 1300-1399 | 7 |
| 400-499 | 3 | 1400-1499 | 7 |
| 500-599 | 3 | 1500-1599 | 9 |
| 600-699 | 5 | 1600-1699 | 9 |
| 700-799 | 5 | | |
| 800-899 | 5 | | |


How to Calculate P Measurement

- If L is 49 mm or less: $(L-12) / (\text{Number of Screw Holes} - 1)$
- If L is 50 mm or more: $(L-20) / (\text{Number of Screw Holes} - 1)$
- The dispatch time for this product is 2 weeks.


int For internal door use only



Closet



Kitchen



18



Stain Color Hairline/**Z**



Dark Bronze/**4Q**



Chrome



Satin Nickel



Dark Umber

The low-profile door catch secures the door with a simple push and releases with a second push.

Door Catcher

Material: Zinc Die Casting

AC-784 **int**

| | |
|--------------|-----------|
| Chrome | AC-784-XC |
| Satin Nickel | AC-784-XN |
| Dark Umber | AC-784-4Q |

- Cannot be used for doors with a raised frame at the bottom.
- The space under the door must be between 10 to 20 mm.




Common Options

Carpet Base

Adapter for carpeted floors

Set Includes: t3mm × 2, t5mm × 2

AC-775






Chrome



Satin Nickel



Pearl Black



PC-397 **int**

Material: Zinc Die Casting
Door Thickness: 18mm or more

Standard Finish

- XC Chrome
- XN Satin Nickel
- GQ Pearl Black



Customizable Finish

- XG Gold Plated
- 4Q Dark Umber
- XD Mirror Nickel
- LQ Shot Champagne Gold
- MQ Shot Nickel
- KQ Shot Gold
- NQ Shot Chrome
- PQ Shot Black
- 8Q Mirror Black
- XH Satin Gold
- XA Satin Black



int For internal door use only



S K R O M A N

skromanglobal.com

Bedazzling Intelligence



Worlds Most Extravagant Smart Switch

Switch to Smart




For years, technology has made offices and industries smarter and more efficient. Today it enhances our lifestyle as well. We at Skroman, create energy-saving, space automation solutions that simplify and transform everyday living. Our intelligent and innovative range of products are making life safe, convenient, and more elegant.

Smartness at your Service

We believe technology should make life simpler, not complicate it. That is why, we offer a range of automation products that are easy to operate. From lights that change their colour through remote control to switches that can be located in pitch darkness to curtains that open at a scheduled time, our products make living and working more convenient and relaxed.





Technology is in our DNA


Behind every smart feature, every intelligent solution, lies our cutting-edge technology. Even in this dynamic world, our products are designed to take care of your lifestyle today and tomorrow.



It's Robust It's Reliable

Being obsessive about safety and quality, our diverse portfolio has been developed with the highest degree of craftsmanship. In fact, all our products are spark-free and water resistant, making their usage safe for everybody; from kids to elderly. The wireless built also ensures durability and toughness.


Your home on your Fingertips



We believe that technology should be simple to understand and easy to implement. All our solutions are user-friendly and simple to use. Moreover, through our smart app you can not only schedule and monitor devices but also switch them on or off from anywhere. You can also manage it all through remote control, virtual assistants (Alexa, Echo, etc.), touch panels, and of course manually.

Touch Switches

Our touch switches personify elegance and efficiency. Smooth to operate and robust when it comes to working, they are retrofittable, hence no rewiring is required. Moreover, the minimalistic design and innovative features, enhance the aesthetic appeal of your home. Available in over 5000 colours and finishes, these touch switches are also customisable.



Features

- Sensitive Touch
- Capacitive Dimmer
- Touch Backup
- Customisable & Shareable
- Capacitive Touch
- Real-time Power Usage
- Socket
- Hybrid Switches
- Master Switch On/off
- Built-in Input/Output Filter
- Child Lock
- Back-lit LED


4 Module



6 / 8 Module



12 Module



Hospitality Series











Mood Switches

Skroman Mood Switches are built with innovative and futuristic technology that can be easily integrated and installed in any home. Aesthetically designed panel.




Smart Locks

Now have seamless access to your home and commercial establishments along with top-notch security. Skroman's Smart Locks ensure that you can unlock your door with absolute ease and keep your home completely secured as well.

-  Mechanical Key Provision
-  CMOS Finger Print Scanner
-  RFID Card Reader
-  Password/ Pin Code Enabled
-  Hybrid Access
-  Mobile & Remote Control
-  5-Year Warranty
-  Voice Enabled



Digital Door Locks




Glass Door Locks



Drawer Locks



Cabinet Locks







Other Locks



Smart Curtain Systems

Skroman's Smart Curtain System redefines privacy and comfort through a range of exciting features. You can control the operation of the curtains via remote, virtual assistants or app, and can also schedule their time to open or close. With a smooth sliding mechanism, they can be operated easily. Moreover, you can customise them to suit any curtain movement and your home décor.

-  Noiseless BLDC Motor
-  Torque up to 140 Kg
-  Voice Enabled
-  Easy to Install
-  Mobile & Remote Control
-  Scheduler Remote
-  Manual + Automated Optional
-  5-Year Warranty
-  90, 135° Curve Possible



About Skroman

Skroman was conceptualised in 2010 to simplify everyday living. We wanted homes to get smarter where functions like safety, energy efficiency, scheduling, convenience could be managed by smart, space-saving automation solutions.

Using intensive research, and developing products based on the futuristic technology, we have designed products that can transform commercial properties across India. From mood lighting to scheduling your curtains to controlling devices from anywhere, our solutions have been carefully conceptualised to ensure that you can easily switch to a comfortable, smarter and luxurious lifestyle.

Application Range



Commercial



Residential



Hospitality



Entertainment




Magnetic Plate



Magnetic Plate Sand and Gold



Magnetic Plate White and Chrome



Magnetic Plate Black and Chrome

Upcoming Products





sc herrajes[®]

Exclusive Drawer Handles

Made in Spain

SC was founded in 1995, specializing in market knowledge and design accessories for the furniture industry.

Our goal is to give each piece a special value to the everyday environments, to blend with the space in order to create a personal meaning in every home.

DESIGN. PASSION. PERFECTION.

Rubén García

In SC, the creativity and continuous innovation are the keys to creating our collection of exclusive handles.

Always aiming to cutting-edge trends in interior design, our goal is to inspire the most unique environments, combining the latest technologies with the newest shapes and finishes.

Each handle is an opportunity to create something unique, innovative & inspiring.

WHERE QUALITY IS A HABIT, SUCCESS IS THE RESULT.

Miguel Ángel López

With the AENOR quality certificate since 2004 and a wide range of patented designs, we offer the security and confidence you need in front of the competitiveness of the nowadays market.



TALK TO US, WE LISTEN.

José Antonio Pérez

In SC we know that communication is the cornerstone of trust. Therefore, our sales network enables personal and direct understanding with our clients.

We understand your needs and we want to bring our experience and expertise to provide the solutions and products that meet your expectations.


KNOW THE LIMIT, IN ORDER TO OVERCOME IT.


María Galgau


With origins in Spain, SC serves top-quality designs all over the world with the conviction to offer a professional service even in the most demanding markets.


Every day, we put our emphasis on becoming a world leader in innovation and design accessories for furniture.

ZAMAK
901





| Acabado finishes | Ref. | A | B | C | D |  |
|-------------------------------|------------|-----|-----|----|----|---|
| Cromo brillo bright chrome | 901.96.04 | 96 | 144 | 33 | 24 | 12 |
| | 901.160.04 | 192 | 230 | 33 | 24 | 6 |
| Cromo Negro black chrome | 901.96.08 | 96 | 144 | 33 | 24 | 12 |
| | 901.160.08 | 160 | 230 | 33 | 24 | 6 |



| Acabado finishes | Ref. | A | B | C | D |  |
|-------------------------------|------------|-----|-----|----|----|---|
| Cromo brillo bright chrome | 902.64.04 | 64 | 139 | 30 | 27 | 12 |
| | 902.128.04 | 128 | 256 | 30 | 27 | 6 |
| Cromo Negro black chrome | 902.64.08 | 64 | 139 | 30 | 27 | 12 |
| | 902.128.08 | 128 | 256 | 30 | 27 | 6 |

ZAMAK
903





| Acabado finishes | Ref. | A | B | C | D |  |
|-------------------------------|------------|-----|-----|----|----|---|
| Cromo brillo bright chrome | 903.64.04 | 64 | 123 | 41 | 25 | 12 |
| | 903.128.04 | 128 | 243 | 41 | 30 | 6 |
| Cromo Negro black chrome | 903.64.08 | 64 | 123 | 41 | 25 | 12 |
| | 903.128.08 | 128 | 243 | 41 | 30 | 6 |



ZAMAK 844





| Acabado finishes | Ref. | A | B | C | D |  |
|--|------------|-----|-----|----|----|---|
| Cromo brillo bright chrome | 844.128.04 | 128 | 149 | 15 | 25 | 40 |
| | 844.192.04 | 192 | 213 | 15 | 25 | 30 |
| | 844.256.04 | 256 | 277 | 15 | 25 | 40 |
| Negro <small>NEW Finish</small> black | 844.128.08 | 128 | 149 | 15 | 25 | 40 |
| | 844.192.08 | 192 | 213 | 15 | 25 | 30 |
| | 844.256.08 | 256 | 277 | 15 | 25 | 40 |
| Níquel Satinado brushed satin nickel | 844.128.58 | 128 | 149 | 15 | 25 | 40 |
| | 844.192.58 | 192 | 213 | 15 | 25 | 30 |
| | 844.256.58 | 256 | 277 | 15 | 25 | 40 |
| Plata Vieja <small>NEW Finish</small> antique silver | 844.128.05 | 128 | 149 | 15 | 25 | 40 |
| | 844.192.05 | 192 | 213 | 15 | 25 | 30 |
| | 844.256.05 | 256 | 277 | 15 | 25 | 40 |



ZAMAK 818




| Acabado finishes | Ref. | A | B | C | D |  |
|---|---------------|-----|-----|----|----|---|
| Níquel Satinado + | 818.128.58-04 | 128 | 146 | 16 | 30 | 25 |
| Cromo Brillo | 818.192.58-04 | 192 | 210 | 16 | 30 | 25 |
| brushed satin nickel + bright chrome | 818.320.58-04 | 320 | 338 | 16 | 30 | 25 |





ZAMAK
843





| Acabado finishes | Ref. | A | B | C | D |  |
|---|------------|-----|-----|----|----|---|
| Cromo brillo bright chrome | 843. 96.04 | 96 | 145 | 20 | 20 | 40 |
| | 843.160.04 | 160 | 218 | 20 | 20 | 25 |
| | 843.256.04 | 256 | 327 | 20 | 20 | 25 |
| Negro NEW Finish black | 843. 96.08 | 96 | 145 | 20 | 20 | 25 |
| | 843.160.08 | 160 | 218 | 20 | 20 | 25 |
| | 843.256.08 | 256 | 327 | 20 | 20 | 25 |
| Níquel Satinado brushed satin nickel | 843. 96.58 | 96 | 145 | 20 | 20 | 25 |
| | 843.160.58 | 160 | 218 | 20 | 20 | 25 |
| | 843.256.58 | 256 | 327 | 20 | 20 | 25 |



ZAMAK
845




| Acabado finishes | Ref. | A | B | C | D |  |
|---|------------|-----|-----|----|----|---|
| Cromo brillo bright chrome | 845.128.04 | 128 | 136 | 12 | 26 | 40 |
| | 845.192.04 | 192 | 200 | 12 | 26 | 30 |
| | 845.256.04 | 256 | 264 | 12 | 26 | 30 |
| Níquel Satinado brushed satin nickel | 845.128.58 | 128 | 136 | 12 | 26 | 40 |
| | 845.192.58 | 192 | 200 | 12 | 26 | 30 |
| | 845.256.58 | 256 | 264 | 12 | 26 | 30 |






ZAMAK
842




| Acabado finishes | Ref. | A | B | C | D |  |
|--|------------|-----|-----|----|----|---|
| Cromo Brillo <small>NEW Size</small> | 842. 96.04 | 96 | 132 | 12 | 30 | 40 |
| bright chrome | 842.160.04 | 160 | 196 | 12 | 30 | 40 |
| Níquel Satinado <small>NEW Size</small> | 842. 96.58 | 96 | 132 | 12 | 30 | 25 |
| brushed satin nickel | 842.160.58 | 160 | 196 | 12 | 30 | 40 |



ZAMAK
839




| Acabado finishes | Ref. | A | B | C | D |  |
|---------------------------------------|---------------|-----|-----|----|----|---|
| Níquel Satinado + Cromo brillo | 839.192.58-04 | 192 | 202 | 12 | 30 | 30 |
| brushed satin nickel + bright chrome | 839.320.58-04 | 320 | 330 | 12 | 30 | 20 |
| Cromo Brillo / Negro | 839.192.04-08 | 192 | 202 | 12 | 30 | 25 |
| bright chrome / black | 839.320.04-08 | 320 | 330 | 12 | 30 | 25 |
| Níquel Satinado / Negro | 839.192.58-08 | 192 | 202 | 12 | 30 | 25 |
| brushed satin nickel / black | 839.320.58-08 | 320 | 330 | 12 | 30 | 25 |






ZAMAK
837





| Acabado finishes | Ref. | A | B | C | D |  |
|--|--------------------------------|------------|------------|----------|----------|---|
| Cromo Brillo / Negro bright chrome / black | 837.192.04-08 837.256.04-08 | 192 256 | 202 266 | 18 18 | 32 32 | 40 30 |
| Níquel Satinado / Negro brushed satin nickel / black | 837.192.58-08 837.256.58-08 | 192 256 | 202 266 | 18 18 | 32 32 | 25 25 |
| Níquel Satinado / Blanco brushed satin nickel / white | 837.192.58-06 837.256.58-06 | 192 256 | 202 266 | 18 18 | 32 32 | 25 25 |



ZAMAK
836





| Acabado finishes | Ref. | A | B | C | D |  |
|---|--|-------------------|-------------------|----------------|----------------|---|
| Cromo Brillo bright chrome | 836.128.04 836.192.04 836.320.04 | 128 192 320 | 150 214 342 | 10 10 10 | 35 35 35 | 60 50 30 |
| Níquel Satinado brushed satin nickel | 836.128.58 836.192.58 836.320.58 | 128 192 320 | 150 214 342 | 10 10 10 | 35 35 35 | 25 25 25 |







ZAMAK
835

| Acabado finishes | Ref. | A | B | C | D |  |
|---|------------|-----|-----|----|----|---|
| Cromo Brillo bright chrome | 835.192.04 | 192 | 211 | 12 | 33 | 25 |
| | 835.256.04 | 256 | 275 | 12 | 33 | 30 |
| Níquel Satinado brushed satin nickel | 835.192.58 | 192 | 211 | 12 | 33 | 25 |
| | 835.256.58 | 256 | 275 | 12 | 33 | 30 |



ZAMAK
834

| Acabado finishes | Ref. | A | B | C | D |  |
|---|------------|-----|-----|----|----|---|
| Cromo Brillo bright chrome | 834.96.04 | 96 | 150 | 25 | 20 | 25 |
| | 834.160.04 | 160 | 250 | 28 | 25 | 30 |
| | 834.256.04 | 256 | 400 | 32 | 30 | 25 |
| Níquel Satinado brushed satin nickel | 834.96.58 | 96 | 150 | 25 | 20 | 25 |
| | 834.160.58 | 160 | 250 | 28 | 25 | 30 |
| | 834.256.58 | 256 | 400 | 32 | 30 | 25 |






ZAMAK
825




| Acabado finishes | Ref. | A | B | C | D | |
|---|------------|-----|-----|----|----|----|
| Cromo Brillo bright chrome | 825. 64.04 | 64 | 145 | 18 | 10 | 25 |
| | 825.160.04 | 160 | 280 | 20 | 10 | 25 |
| | 825.256.04 | 256 | 446 | 20 | 11 | 25 |
| Níquel Satinado brushed satin nickel | 825. 64.58 | 64 | 145 | 18 | 10 | 25 |
| | 825.160.58 | 160 | 280 | 20 | 10 | 25 |
| | 825.256.58 | 256 | 446 | 20 | 11 | 25 |



ZAMAK
815





| Acabado finishes | Ref. | A | B | C | D | |
|---|------------|-----|-----|----|----|----|
| Cromo Brillo bright chrome | 815.128.04 | 128 | 162 | 27 | 38 | 25 |
| | 815.192.04 | 192 | 256 | 32 | 38 | 25 |
| Níquel Satinado brushed satin nickel | 815.128.58 | 128 | 162 | 27 | 38 | 25 |
| | 815.192.58 | 192 | 256 | 32 | 38 | 25 |






ZAMAK 816




| Acabado finishes | Ref. | A | B | C | D |  |
|--|-------------|-----|-----|----|----|---|
| Cromo Brillo bright chrome | 816.192.04 | 192 | 215 | 10 | 26 | 25 |
| | 816.256.04 | 256 | 280 | 10 | 26 | 25 |
| Níquel Satinado brushed satin nickel | 816.192.58 | 192 | 215 | 10 | 26 | 25 |
| | 816.256.58 | 256 | 280 | 10 | 26 | 25 |
| Cromo Brillo / Swarovski bright chrome / swarovski | 816.192.04w | 192 | 215 | 10 | 26 | 25 |
| | 816.256.04w | 256 | 280 | 10 | 26 | 25 |
| Provenzal <small>NEW Finish</small> brushed brass | 816.192.03 | 192 | 215 | 10 | 26 | 25 |
| | 816.256.03 | 256 | 280 | 10 | 26 | 25 |
| Plata Vieja <small>NEW Finish</small> antique silver | 816.192.05 | 192 | 215 | 10 | 26 | 25 |
| | 816.256.05 | 256 | 280 | 10 | 26 | 25 |



ZAMAK 377




| Acabado finishes | Ref. | A | B | C | D |  |
|--|------------|-----|-----|---|----|---|
| Cromo Brillo bright chrome | 377.160.04 | 160 | 187 | 7 | 30 | 25 |
| | 377.192.04 | 192 | 226 | 7 | 33 | 30 |
| | 377.240.04 | 240 | 280 | 8 | 35 | 25 |
| | 377.352.04 | 352 | 400 | 8 | 35 | 25 |
| Níquel Satinado brushed satin nickel | 377.160.58 | 160 | 187 | 7 | 30 | 25 |
| | 377.192.58 | 192 | 226 | 7 | 33 | 30 |
| | 377.240.58 | 240 | 280 | 8 | 35 | 25 |
| | 377.352.58 | 352 | 400 | 8 | 35 | 25 |




ZAMAK
813




| Acabado finishes | Ref. | A | B | C | D |  |
|---|-------------|-----|-----|----|----|---|
| Cromo Brillo bright chrome | 813. 96.04* | 96 | 170 | 25 | 18 | 25 |
| | 813.160.04 | 160 | 240 | 30 | 29 | 25 |
| | 813.256.04 | 256 | 380 | 32 | 36 | 12 |
| Níquel satinado brushed satin nickel | 813. 96.58* | 96 | 170 | 25 | 18 | 25 |
| | 813.160.58 | 160 | 240 | 30 | 29 | 25 |
| | 813.256.58 | 256 | 380 | 32 | 36 | 12 |


*Old Code: 366.96.04 / 366.96.58




ZAMAK
814




| Acabado finishes | Ref. | A | B | C | D |  |
|---|------------|-----|-----|----|----|---|
| Cromo Brillo bright chrome | 814.160.04 | 160 | 220 | 22 | 27 | 25 |
| | 814.192.04 | 192 | 260 | 27 | 31 | 25 |
| | 814.320.04 | 320 | 400 | 36 | 38 | 25 |
| Níquel Satinado brushed satin nickel | 814.160.58 | 160 | 220 | 22 | 27 | 25 |
| | 814.192.58 | 192 | 260 | 27 | 31 | 25 |
| | 814.320.58 | 320 | 400 | 36 | 38 | 25 |






ZAMAK
378





| Acabado finishes | Ref. | A | B | C | D |  |
|--|------------|-----|-----|----|----|---|
| Cromo Brillo bright chrome | 378.160.04 | 160 | 175 | 13 | 29 | 30 |
| | 378.192.04 | 192 | 210 | 14 | 32 | 25 |
| | 378.256.04 | 256 | 280 | 14 | 35 | 25 |
| | 378.384.04 | 384 | 408 | 14 | 38 | 25 |
| Níquel satinado brushed satin nickel | 378.160.58 | 160 | 175 | 13 | 29 | 30 |
| | 378.192.58 | 192 | 210 | 14 | 32 | 25 |
| | 378.256.58 | 256 | 280 | 14 | 35 | 25 |
| | 378.384.58 | 384 | 408 | 14 | 38 | 25 |



ZAMAK
373




| Acabado finishes | Ref. | A | B | C | D |  |
|--|------------|-----|-----|----|----|---|
| Cromo Brillo bright chrome | 373.160.04 | 160 | 215 | 37 | 26 | 35 |
| | 373.256.04 | 256 | 330 | 37 | 29 | 25 |
| Níquel Satinado brushed satin nickel | 373.160.58 | 160 | 215 | 37 | 26 | 35 |
| | 373.256.58 | 256 | 330 | 37 | 29 | 25 |






ZAMAK 365





| Acabado finishes | Ref. | A | B | C | D |  |
|--|------------|-----|-----|----|----|---|
| Cromo Brillo bright chrome | 365. 16.04 | 16 | 40 | 40 | 16 | 25 |
| | 365. 64.04 | 64 | 135 | 40 | 19 | 25 |
| | 365.128.04 | 128 | 190 | 40 | 22 | 25 |
| | 365.224.04 | 224 | 380 | 40 | 24 | 25 |
| Níquel Satinado brushed satin nickel | 365. 16.58 | 16 | 40 | 40 | 16 | 25 |
| | 365. 64.58 | 64 | 135 | 40 | 19 | 25 |
| | 365.128.58 | 128 | 190 | 40 | 22 | 25 |
| | 365.224.58 | 224 | 380 | 40 | 24 | 25 |



ZAMAK 368




| Acabado finishes | Ref. | A | B | C | D |  |
|--|------------|-----|-----|----|----|---|
| Cromo Brillo bright chrome | 368. 96.04 | 96 | 146 | 15 | 21 | 25 |
| | 368.160.04 | 160 | 210 | 15 | 29 | 30 |
| | 368.240.04 | 240 | 298 | 17 | 31 | 20 |
| | 368.320.04 | 320 | 398 | 17 | 31 | 25 |
| Níquel Satinado brushed satin nickel | 368. 96.58 | 96 | 146 | 15 | 21 | 25 |
| | 368.160.58 | 160 | 210 | 15 | 29 | 30 |
| | 368.240.58 | 240 | 298 | 17 | 31 | 20 |
| | 368.320.58 | 320 | 398 | 17 | 31 | 25 |





ZAMAK
372





| Acabado finishes | Ref. | A | B | C | D |  |
|---|------------|-----|-----|----|----|---|
| Cromo Brillo bright chrome | 372. 96.04 | 96 | 126 | 17 | 17 | 25 |
| | 372.128.04 | 128 | 142 | 22 | 22 | 25 |
| | 372.160.04 | 160 | 188 | 25 | 25 | 25 |
| Níquel Satinado brushed satin nickel | 372. 96.58 | 96 | 126 | 17 | 17 | 25 |
| | 372.160.58 | 160 | 188 | 25 | 25 | 25 |




ZAMAK
376





| Acabado finishes | Ref. | A | B | C | D |  |
|-------------------------------|-----------|----|----|---|----|---|
| Cromo Brillo bright chrome | 376.75.04 | 32 | 75 | - | 25 | 25 |
| | 376.75.58 | 32 | 75 | - | 25 | 25 |



ZAMAK
576





| Acabado finishes | Ref. | A | B | C | D |  |
|-------------------------------|-----------|----|----|----|----|---|
| Cromo Brillo bright chrome | 576.44.04 | 16 | 44 | 27 | 21 | 25 |
| | 576.44.58 | 16 | 44 | 27 | 21 | 25 |



ALUMINIUM
708





| Acabado finishes | Ref. | A | B | C | D |  |
|-------------------------------|------------|-----|-----|---|----|---|
| Cromo Brillo bright chrome | 708.100.04 | 64 | 100 | 9 | 22 | 80 |
| | 708.200.04 | 96 | 200 | 9 | 22 | 50 |
| | 708.300.04 | 128 | 300 | 9 | 22 | 30 |
| | 708.400.04 | 160 | 400 | 9 | 22 | 30 |
| | 708.600.04 | 320 | 600 | 9 | 22 | 30 |



ALUMINIUM
707





| Acabado finishes | Ref. | A | B | C | D |  |
|-------------------------------|------------|-----|-----|---|----|---|
| Cromo Brillo bright chrome | 707.100.04 | 64 | 100 | 8 | 15 | 80 |
| | 707.136.04 | 96 | 136 | 8 | 15 | 80 |
| | 707.200.04 | 96 | 200 | 8 | 15 | 50 |
| | 707.300.04 | 128 | 300 | 8 | 15 | 30 |
| | 707.400.04 | 160 | 400 | 8 | 15 | 30 |



ALUMINIUM
706





| Acabado finishes | Ref. | A | B | C | D |  |
|-------------------------------|------------|-----|-----|---|----|--|
| Cromo Brillo bright chrome | 706.100.04 | 64 | 100 | 7 | 20 | 80 |
| | 706.200.04 | 96 | 200 | 7 | 20 | 50 |
| | 706.300.04 | 128 | 300 | 7 | 20 | 30 |
| | 706.400.04 | 160 | 400 | 7 | 20 | 30 |



ALUMINIUM
702





| Acabado finishes | Ref. | A | B | C | D |  |
|-------------------------------|------------|---------|-----|---|----|---|
| Cromo Brillo bright chrome | 702.150.04 | 96 | 150 | 8 | 20 | 25 |
| | 702.200.04 | 160 | 200 | 8 | 20 | 25 |
| | 702.300.04 | 256 | 300 | 8 | 20 | 25 |
| | 702.400.04 | 320 | 400 | 8 | 20 | 25 |
| | 702.600.04 | 240*480 | 600 | 8 | 20 | 25 |
| | 702.800.04 | 320*640 | 800 | 8 | 20 | 25 |



ALUMINIUM
701




| Acabado finishes | Ref. | A | B | C | D |  |
|-------------------------------|------------|-----|-----|----|----|---|
| Cromo Brillo bright chrome | 701. 45.04 | 32 | 45 | 42 | 20 | 20 |
| | 701.104.04 | 64 | 104 | 42 | 20 | 20 |
| | 701.168.04 | 96 | 168 | 42 | 20 | 20 |
| | 701.200.04 | 128 | 200 | 42 | 20 | 20 |






ZAMAK
841





| Acabado finishes | Ref. | A | B | C | D |  |
|--|------------|-----|-----|----|----|---|
| Cromo Brillo bright chrome | 841.160.04 | 160 | 210 | 18 | 34 | 40 |
| Níquel Satinado brush satin nickel | 841.160.58 | 160 | 210 | 18 | 34 | 40 |



ZAMAK
840




| Acabado finishes | Ref. | A | B | C | D |  |
|--|------------|-----|-----|-----|----|---|
| Cromo Brillo bright chrome | 840.160.04 | 160 | 171 | 2,5 | 45 | 20 |
| Níquel Satinado brush satin nickel | 840.160.58 | 160 | 171 | 2,5 | 45 | 20 |







ZAMAK
831




| Acabado finishes | Ref. | A | B | C | D |  |
|---------------------------------------|------------|-----|-----|------|----|---|
| Cromo Brillo bright chrome | 831.250.04 | 160 | 248 | 20,5 | 36 | 20 |
| Níquel Satinado brush satin nickel | 831.250.58 | 160 | 248 | 20,5 | 36 | 20 |



ZAMAK
811




| Acabado finishes | Ref. | A | B | C | D |  |
|-------------------------------|------------|-----|-----|---|----|---|
| Cromo Brillo bright chrome | 811.160.04 | 160 | 200 | 2 | 50 | 25 |





ZAMAK
827





| Acabado finishes | Ref. | A | B | C | D |  |
|-------------------------------|------------|---|-----|----|----|---|
| Cromo Brillo bright chrome | 827.250.04 | - | 250 | 19 | 36 | 25 |
| Níquel Mate mat nickel | 827.250.59 | - | 250 | 19 | 36 | 25 |



ZAMAK
826



| Acabado finishes | Ref. | A | B | C | D |  |
|-------------------------------|------------|--------|-----|----|----|---|
| Cromo Brillo bright chrome | 826.250.04 | 96-192 | 250 | 19 | 17 | 25 |
| Níquel Mate mat nickel | 826.250.59 | 96-192 | 250 | 19 | 17 | 25 |






ZAMAK
819




| Acabado finishes | Ref. | A | B | C | D | |
|-------------------------------|------------|--------|-----|------|----|----|
| Cromo Brillo bright chrome | 819.200.04 | 64-128 | 200 | 1,25 | 15 | 25 |
| Níquel Mate mat nickel | 819.200.59 | 64-128 | 200 | 1,25 | 15 | 25 |




ZAMAK
820




| Acabado finishes | Ref. | A | B | C | D | |
|-------------------------------|------------|-----|------|----|---|----|
| Cromo Brillo bright chrome | 820.200.04 | 200 | 1,25 | 28 | - | 25 |
| Níquel Mate mat nickel | 820.200.59 | 200 | 1,25 | 28 | - | 25 |






ZAMAK
810





| Acabado finishes | Ref. | A | B | C | D |  |
|---------------------------------------|------------|-----|-----|---|----|---|
| Cromo Brillo bright chrome | 810.128.04 | 128 | 150 | 3 | 75 | 25 |
| Níquel Satinado brush satin nickel | 810.128.58 | 128 | 150 | 3 | 75 | 25 |



ZAMAK
812





| Acabado finishes | Ref. | A | B | C | D |  |
|---------------------------------------|-----------|----|----|---|----|---|
| Cromo Brillo bright chrome | 812.64.04 | 64 | 90 | 3 | 90 | 15 |
| Níquel Satinado brush satin nickel | 812.64.58 | 64 | 90 | 3 | 90 | 15 |





ZAMAK
582


| Acabado finishes | Ref. | A | B | C | D |  |
|--|------------|-----|-----|----|----|---|
| Cromo Brillo bright chrome | 582. 96.04 | 96 | 106 | 15 | 51 | 25 |
| | 582.192.04 | 192 | 202 | 15 | 51 | 25 |
| Níquel Satinado brush satin nickel | 582. 96.58 | 96 | 106 | 15 | 51 | 25 |
| | 582.192.58 | 192 | 202 | 15 | 51 | 25 |





ALUMINIUM

848 *new*



Installation without machining

| Acabado finishes | Ref. | A |
|----------------------|-------------|------|
| Negro anod. satin | 848.150.09 | 147 |
| Satin black anodized | 848.200.09 | 197 |
| | 848.250.09 | 247 |
| | 848.300.09 | 297 |
| | 848.350.09 | 347 |
| | 848.400.09 | 397 |
| | 848.450.09 | 447 |
| | 848.500.09 | 497 |
| | 848.600.09 | 597 |
| | 848.700.09 | 697 |
| | 848.800.09 | 797 |
| | 848.900.09 | 897 |
| | 848.1000.09 | 997 |
| | 848.1200.09 | 1197 |


| Acabado finishes | Ref. | A |
|------------------|-------------|------|
| Grafito | 848.150.61 | 147 |
| graphite | 848.200.61 | 197 |
| | 848.250.61 | 247 |
| | 848.300.61 | 297 |
| | 848.350.61 | 347 |
| | 848.400.61 | 397 |
| | 848.450.61 | 447 |
| | 848.500.61 | 497 |
| | 848.600.61 | 597 |
| | 848.700.61 | 697 |
| | 848.800.61 | 797 |
| | 848.900.61 | 897 |
| | 848.1000.61 | 997 |
| | 848.1200.61 | 1197 |






ZAMAK
830





| Acabado finishes | Ref. | A | B | C | D |  |
|---|------------|-----|-----|----|----|---|
| Cromo Brillo bright chrome | 830.146.04 | 96 | 146 | 39 | 10 | 25 |
| | 830.280.04 | 192 | 280 | 39 | 10 | 25 |
| | 830.446.04 | 384 | 446 | 39 | 10 | 25 |
| Níquel Satinado brushed satin nickel | 830.146.58 | 96 | 146 | 39 | 10 | 25 |
| | 830.280.58 | 192 | 280 | 39 | 10 | 25 |
| | 830.446.58 | 384 | 446 | 39 | 10 | 25 |




ALUMINIUM
770



| Acabado finishes | Ref. | A | B | C | D |  |
|---------------------|-------------|------|-----|----|----|---|
| Inox inox effect | 770.150.57 | 90 | 148 | 39 | 11 | 20 |
| | 770.200.57 | 140 | 198 | 39 | 11 | 20 |
| | 770.250.57 | 190 | 248 | 39 | 11 | 20 |
| | 770.300.57 | 240 | 298 | 39 | 11 | 20 |
| | 770.350.57 | 290 | 348 | 39 | 11 | 20 |
| | 770.400.57 | 340 | 398 | 39 | 11 | 20 |
| | 770.450.57 | 390 | 448 | 39 | 11 | 20 |
| | 770.500.57 | 440 | 498 | 39 | 11 | 20 |
| | 770.600.57 | 540 | 598 | 39 | 11 | 20 |
| | 770.700.57 | 640 | 698 | 39 | 11 | 20 |
| | 770.800.57 | 740 | 798 | 39 | 11 | 20 |
| | 770.900.57 | 840 | 898 | 39 | 11 | 20 |
| | 770.1000.57 | 940 | 998 | 39 | 11 | 20 |
| 770.1200.57 | 1140 | 1198 | 39 | 11 | 20 | |






ALUMINIUM
769



Acabado finishes

| Ref. | A | B | C | D | | |
|-------------|-------------|------|------|----|----|----|
| Inox | 769. 150.57 | 90 | 148 | 39 | 11 | 20 |
| inox effect | 769. 200.57 | 140 | 198 | 39 | 11 | 20 |
| | 769. 250.57 | 190 | 248 | 39 | 11 | 20 |
| | 769. 300.57 | 240 | 298 | 39 | 11 | 20 |
| | 769. 350.57 | 290 | 348 | 39 | 11 | 20 |
| | 769. 400.57 | 340 | 398 | 39 | 11 | 20 |
| | 769. 450.57 | 390 | 448 | 39 | 11 | 20 |
| | 769. 500.57 | 440 | 498 | 39 | 11 | 20 |
| | 769. 600.57 | 540 | 598 | 39 | 11 | 20 |
| | 769. 700.57 | 640 | 698 | 39 | 11 | 20 |
| | 769. 800.57 | 740 | 798 | 39 | 11 | 20 |
| | 769. 900.57 | 840 | 898 | 39 | 11 | 20 |
| | 769.1000.57 | 940 | 998 | 39 | 11 | 20 |
| | 769.1200.57 | 1140 | 1198 | 39 | 11 | 20 |




ALUMINIUM
765



Acabado finishes

| Ref. | A | B | C | D | | |
|--------------------|-------------|------|------|----|----|----|
| Plata Satinada | 765. 150.32 | 98 | 148 | 39 | 11 | 20 |
| brush satin silver | 765. 200.32 | 148 | 198 | 39 | 11 | 20 |
| | 765. 250.32 | 198 | 248 | 39 | 11 | 20 |
| | 765. 300.32 | 248 | 298 | 39 | 11 | 20 |
| | 765. 350.32 | 298 | 348 | 39 | 11 | 20 |
| | 765. 400.32 | 348 | 398 | 39 | 11 | 20 |
| | 765. 450.32 | 398 | 448 | 39 | 11 | 20 |
| | 765. 500.32 | 448 | 498 | 39 | 11 | 20 |
| | 765. 600.32 | 548 | 598 | 39 | 11 | 20 |
| | 765. 700.32 | 648 | 698 | 39 | 11 | 20 |
| | 765. 800.32 | 748 | 798 | 39 | 11 | 20 |
| | 765. 900.32 | 848 | 898 | 39 | 11 | 20 |
| | 765.1000.32 | 948 | 998 | 39 | 11 | 20 |
| | 765.1200.32 | 1148 | 1198 | 39 | 11 | 20 |




ALUMINIUM
762



Acabado finishes Ref.

Plata Mate
anodized silver

| Ref. | A | B | C | D | |
|-------------|------|------|----|----|----|
| 762.2000.31 | 1940 | 2000 | 19 | 15 | 20 |




ALUMINIUM
761




Acabado finishes Ref.


Plata Mate
anodized silver

| Ref. | A | B | C | D | |
|-------------|------|------|----|----|----|
| 761.2000.31 | 1940 | 2000 | 19 | 42 | 20 |




ALUMINIUM
768UP





| Acabado finishes | Ref. | A | B | C | D |  |
|---|-------------------------------|-------------|-------------|----------|----------|---|
| Inox inox effect | 768UP.2000.57 | 1120 | 1197 | 21 | 38 | 20 |
| <i>new</i> Negro anod. satinado black brushed anodized | 768UP.900.09 768UP.1200.09 | 820 1120 | 897 1197 | 21 21 | 38 38 | 20 20 |
| <i>new</i> Grafito graphite | 768UP.900.61 768UP.1200.61 | 820 1120 | 897 1197 | 21 21 | 38 38 | 20 20 |



ALUMINIUM
768



| Acabado finishes | Ref. | A | B | C | D |  |
|---|---------------------------|-------------|-------------|----------|----------|---|
| Inox inox effect | 768.3000.57 | 3000 | 2997 | 21 | 38 | 20 |
| <i>new</i> Negro anod. satinado black brushed anodized | 768.900.09 768.1200.09 | 820 1120 | 897 1197 | 21 21 | 38 38 | 20 20 |
| <i>new</i> Grafito graphite | 768.900.61 768.1200.61 | 820 1120 | 897 1197 | 21 21 | 38 38 | 20 20 |






ALUMINIUM
774

| Acabado finishes | Ref. | A | B | C | D | |
|---|-------------|---|------|----|---|---|
| Negro mate matt black <i>JNEW Finish</i> | 774.3000.08 | - | 3000 | 17 | 8 | - |
| Inox inox effect | 774.3000.57 | - | 3000 | 17 | 8 | - |



Shutter from 18mm.




ALUMINIUM
773

| Acabado finishes | Ref. | A | B | C | D | |
|---|-------------|------|---|----|---|---|
| Negro mate matt black <i>JNEW Finish</i> | 773.3000.08 | 3000 | - | 17 | - | - |
| Inox inox effect | 773.3000.57 | 3000 | - | 17 | - | - |




Shutter 21mm.



ZAMAK
822


ZAMAK
821



| Acabado finishes | Ref. | A | B | C | D | |
|-------------------------------|-----------|----------|---|----|---|----|
| Cromo Brillo bright chrome | 822.16.04 | adhesivo | - | 16 | 8 | 60 |



| Acabado finishes | Ref. | A | B | C | D | |
|-------------------------------|------------|----------|-----|----|---|----|
| Cromo Brillo bright chrome | 821.300.04 | adhesivo | 300 | 12 | 6 | 32 |



ZAMAK
MT770

ZAMAK
MT771




set of 2 handles | glass: 6 - 8 - 10 mm.




set of 2 knobs | glass: 6 - 8 - 10 mm.

| Acabado finishes | Ref. | A | B | C | D | |
|------------------|------------|----------|-----|----|----|---|
| Zamak | MT770.160 | 160 | 185 | 25 | 28 | 6 |
| zinc | MT770.256 | 256 | 281 | 25 | 28 | 1 |
| | MT770.256a | adhesivo | 281 | 25 | 28 | 1 |





| Acabado finishes | Ref. | A | B | C | D | |
|------------------|----------|---|----|---|----|---|
| Zamak | MT771.40 | - | 40 | - | 38 | 1 |
| zinc | | | | | | |



ZAMAK
25





| Acabado finishes | Ref. | A | B | C | D |  |
|-------------------------------|-----------|-----|----|---|---|---|
| Cromo Brillo bright chrome | 25.120.04 | 120 | 25 | - | - | 24 |



ZAMAK
26



| Acabado finishes | Ref. | A | B | C | D |  |
|-------------------------------|----------|-----|----|-----|---|---|
| Cromo Brillo bright chrome | 26.45.04 | 100 | 45 | 100 | - | 6 |





ZAMAK
22





ZAMAK
21



| Acabado finishes | Ref. | A | B | C | D |  |
|-------------------------------|-----------|----|-----|----|----|---|
| Cromo Brillo bright chrome | 22. 70.04 | 90 | 70 | 15 | 55 | 25 |
| | 22.100.04 | 50 | 100 | 15 | 55 | 25 |
| | 22.150.04 | 50 | 150 | 20 | 55 | 20 |





| Acabado finishes | Ref. | A | B | C | D |  |
|-------------------------------|-----------|----|-----|----|----|---|
| Cromo Brillo bright chrome | 21.100.04 | 50 | 100 | 17 | 40 | 25 |
| | 21.150.04 | 50 | 150 | 17 | 50 | 25 |
| | 21.200.04 | 50 | 200 | 17 | 50 | 25 |
| | 21.260.04 | 50 | 260 | 17 | 50 | 12 |



Gola bi-led *new*

LIGHTS OUTSIDE & INSIDE DRAWERS




| Reference | Finish | Size | Packaging |
|-------------|---------------|------|-----------|
| 757.4000.06 | White Lacquer | 4m | 10 uns |
| 757.4000.16 | Gold | 4m | 10 uns |
| 757.4000.31 | Mat Silver | 4m | 10 uns |
| | Dark Grey | 4m | 10 uns |

ALUMINIUM 752



Acabado finishes Ref.

| Acabado finishes | Ref. | Size | Packaging |
|--------------------------------|-------------|----------|-----------|
| Plata Mate/ anodized silver | 752.4000.31 | 4,0 mtrs | 10 |




Accesories


caps & corners



| Reference | Description | Finish | Pack |
|-----------|-------------|---------------|--------|
| 757.06t | Caps R+L | White Lacquer | 6 uns |
| 757.06r | Rincón | White Lacquer | 6 uns |
| 757.06e | Esquina | White Lacquer | 6 uns |
| 757.16t | Caps R+L | Gold | 6 uns |
| 757.16r | Corner IN | Gold | 6 uns |
| 757.16e | Corner OUT | Gold | 6 uns |
| 757.31t | Caps R+L | Mat Silver | 6 uns |
| 757.31r | Corner IN | Mat Silver | 6 uns |
| 757.31e | Corner OUT | Mat Silver | 6 uns |
| 757.63t | Caps R+L | Dark Grey | 6 uns |
| 757.63r | Corner IN | Dark Grey | 6 uns |
| 757.63e | Corner OUT | Dark Grey | 6 uns |
| 758.29 | Fastener | | 25 uns |





| Acabado finishes | Ref. | | |  |
|--------------------------------|-------------|----------|---|---|
| Plata Mate/ anodized silver | 755.2400.31 | 2,4 mtrs | 6 | |

| Acabado finishes | Ref. | | |  |
|--------------------------------|-------------|----------|---|---|
| Plata Mate/ anodized silver | 756.2400.31 | 2,4 mtrs | 6 | |



ACCESSORIES

| <p>Left Cover</p>  <table border="1"> <thead> <tr> <th>Finishes</th> <th>Ref.</th> <th></th> </tr> </thead> <tbody> <tr> <td>Plata Mate/ anodized silver</td> <td>750.31i</td> <td>12</td> </tr> </tbody> </table> | Finishes | Ref. |  | Plata Mate/ anodized silver | 750.31i | 12 | <p>Right Cover</p>  <table border="1"> <thead> <tr> <th>Finishes</th> <th>Ref.</th> <th></th> </tr> </thead> <tbody> <tr> <td>Plata Mate/ anodized silver</td> <td>750.31d</td> <td>12</td> </tr> </tbody> </table> | Finishes | Ref. |  | Plata Mate/ anodized silver | 750.31d | 12 | <p>Connector</p>  <table border="1"> <thead> <tr> <th>Finishes</th> <th>Ref.</th> <th></th> </tr> </thead> <tbody> <tr> <td>Plata Mate/ anodized silver</td> <td>750.31r</td> <td>12</td> </tr> </tbody> </table> | Finishes | Ref. |  | Plata Mate/ anodized silver | 750.31r | 12 | <p>Connector</p>  <table border="1"> <thead> <tr> <th>Finishes</th> <th>Ref.</th> <th></th> </tr> </thead> <tbody> <tr> <td>Plata Mate/ anodized silver</td> <td>750.31e</td> <td>12</td> </tr> </tbody> </table> | Finishes | Ref. |  | Plata Mate/ anodized silver | 750.31e | 12 |
|--|----------|---|---|--------------------------------|---------|----|---|----------|------|---|--------------------------------|---------|----|---|----------|------|---|--------------------------------|---------|----|---|----------|------|---|--------------------------------|---------|----|
| Finishes | Ref. |  | | | | | | | | | | | | | | | | | | | | | | | | | |
| Plata Mate/ anodized silver | 750.31i | 12 | | | | | | | | | | | | | | | | | | | | | | | | | |
| Finishes | Ref. |  | | | | | | | | | | | | | | | | | | | | | | | | | |
| Plata Mate/ anodized silver | 750.31d | 12 | | | | | | | | | | | | | | | | | | | | | | | | | |
| Finishes | Ref. |  | | | | | | | | | | | | | | | | | | | | | | | | | |
| Plata Mate/ anodized silver | 750.31r | 12 | | | | | | | | | | | | | | | | | | | | | | | | | |
| Finishes | Ref. |  | | | | | | | | | | | | | | | | | | | | | | | | | |
| Plata Mate/ anodized silver | 750.31e | 12 | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>Left Cover - 751</p>  <table border="1"> <thead> <tr> <th>Finishes</th> <th>Ref.</th> <th></th> </tr> </thead> <tbody> <tr> <td>Plata Mate/ anodized silver</td> <td>751.31i</td> <td>12</td> </tr> </tbody> </table> | Finishes | Ref. |  | Plata Mate/ anodized silver | 751.31i | 12 | <p>Right Cover - 751</p>  <table border="1"> <thead> <tr> <th>Finishes</th> <th>Ref.</th> <th></th> </tr> </thead> <tbody> <tr> <td>Plata Mate/ anodized silver</td> <td>751.31d</td> <td>12</td> </tr> </tbody> </table> | Finishes | Ref. |  | Plata Mate/ anodized silver | 751.31d | 12 | <p>Side Gola Connector</p>  <table border="1"> <thead> <tr> <th>Finishes</th> <th>Ref.</th> <th></th> </tr> </thead> <tbody> <tr> <td>Zinc Plata/ Zinc silver</td> <td>758.29</td> <td>25</td> </tr> </tbody> </table> | Finishes | Ref. |  | Zinc Plata/ Zinc silver | 758.29 | 25 | <p>Side Gola Connector</p>  <table border="1"> <thead> <tr> <th>Finishes</th> <th>Ref.</th> <th></th> </tr> </thead> <tbody> <tr> <td>Nylon Negro/ Black Nylon</td> <td>759.51</td> <td>25</td> </tr> </tbody> </table> | Finishes | Ref. |  | Nylon Negro/ Black Nylon | 759.51 | 25 |
| Finishes | Ref. |  | | | | | | | | | | | | | | | | | | | | | | | | | |
| Plata Mate/ anodized silver | 751.31i | 12 | | | | | | | | | | | | | | | | | | | | | | | | | |
| Finishes | Ref. |  | | | | | | | | | | | | | | | | | | | | | | | | | |
| Plata Mate/ anodized silver | 751.31d | 12 | | | | | | | | | | | | | | | | | | | | | | | | | |
| Finishes | Ref. |  | | | | | | | | | | | | | | | | | | | | | | | | | |
| Zinc Plata/ Zinc silver | 758.29 | 25 | | | | | | | | | | | | | | | | | | | | | | | | | |
| Finishes | Ref. |  | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nylon Negro/ Black Nylon | 759.51 | 25 | | | | | | | | | | | | | | | | | | | | | | | | | |

HANDLES AND KNOBS FOR
FURNITURE, KITCHENS,
BATHROOMS AND KIDS ROOM.

Viefe handles[®]



Made in Spain

Viefe's way —

The teams at Viefe® work like a set of gears, each one pushing the other so that the process of creation of knobs and handles works to perfection.



Management

This is where decisions are made. Management holds the compass to guide Viefe®.



Design

Internal and external designers dream of, draw and then project the shapes of the new products.



Production

They oversee the process of making the dreams come true. Our knobs and handles are brought to life in their hands.



Finishing

The type of finish can make all the difference. Here we polish, paint and glue and put the finishing touches to each design.



Quality

As we are not perfect, this is the department that checks every piece with a magnifying glass to determine which ones pass the quality test and which ones don't.



Sales

This is the team that moves Viefe®'s products across the globe. No one could do a better job of presenting and selling us.



Shipping

Each order requires a certain amount of planning, organization and meticulousness. It's all about trying to make things fit into the minimum amount of space.



Communication


Their images and words spread the Viefe® brand via social networks, catalogues, trade fairs and various packs.

New


PEAK_0444

ALUMINIUM

Design: Viefe®




0444- 1760 / 768 / 448 / 192



0444- 1120

0444- 64






| 30 NEW! | M1 NEW! | M23 NEW! | M41 NEW! | | | | | | |
|----------------------------------|---------------------------|-----------------------------|--------------------------------|------|-----|------|-----|---|----|
| Brushed black Negro cepillado | Matt White blanco mate | Metallic grey Gris metal | Metallic brown Marrón metal | C1 | C2 | L1 | L3 | ↓ | ☐ |
| 0444064L30 | 0444064LM1 | 0444064LM23 | 0444064LM41 | 64 | - | 120 | - | 2 | 25 |
| 0444192L30 | 0444192LM1 | 0444192LM23 | 0444192LM41 | 192 | 160 | 250 | - | 4 | 25 |
| 0444448L30 | 0444448LM1 | 0444448LM23 | 0444448LM41 | 448 | 160 | 500 | - | 4 | 25 |
| 0444768L30 | 0444768LM1 | 0444768LM23 | 0444768LM41 | 768 | 160 | 800 | - | 4 | 15 |
| 04441120L30 | 04441120LM1 | 04441120LM23 | 04441120LM41 | 1120 | 160 | 1150 | 190 | 4 | 15 |
| 04441760L30 | 04441760LM1 | 04441760LM23 | 04441760LM41 | 1760 | 160 | 1800 | - | 4 | 10 |



New
BRAVE_0452

ALUMINIUM

Design: Viefe®





| | | | |
|---------------------------|--------------------------|-----------------------------|--------------------------------|
| M1 NEW! | M2 NEW! | M23 NEW! | M41 NEW! |
| Matt White blanco mate | Matt black Negro mate | Metallic grey Gris metal | Metallic brown Marrón metal |

| | | | | C1 | C2 | L | ↓ | ⬇ |
|-------------|-------------|--------------|--------------|-----|------|------|---|----|
| 0452128FM1 | 0452128FM2 | 0452128FM23 | 0452128FM41 | 128 | - | 160 | 2 | 25 |
| 0452192FM1 | 0452192FM2 | 0452192FM23 | 0452192FM41 | 192 | - | 240 | 2 | 25 |
| 0452320FM1 | 0452320FM2 | 0452320FM23 | 0452320FM41 | 320 | - | 400 | 2 | 25 |
| 0452480FM1 | 0452480FM2 | 0452480FM23 | 0452480FM41 | 192 | 480 | 600 | 4 | 25 |
| 0452992FM1 | 0452992FM2 | 0452992FM23 | 0452992FM41 | 192 | 992 | 1040 | 4 | 15 |
| 04521120FM1 | 04521120FM2 | 04521120FM23 | 04521120FM41 | 192 | 1120 | 1150 | 4 | 15 |

New
GRAF2_0430

ALUMINIUM

Design: Viefe®



29 *NEW!*


Brush dark brass
Latón osc cepillado

30 *NEW!*

Brushed black
Negro cepillado

| | | C1 | C2 | L | ↓ | ⬇ |
|-------------|-------------|------|-----|------|---|----|
| 0430010L29 | 0430010L30 | - | - | 10 | 1 | 25 |
| 0430060L29 | 0430060L30 | - | - | 60 | 1 | 25 |
| 0430160L29 | 0430160L30 | 160 | - | 182 | 2 | 25 |
| 0430256L29 | 0430256L30 | 256 | - | 278 | 2 | 25 |
| 04301178L29 | 04301178L30 | 1178 | 589 | 1200 | 3 | 10 |

New
BRIKK_0334
ALUMINIUM



613

Antique bronze
Bronze antiguo


| | C1 | C2 | C3 | A | L | ↓ | ☐ |
|--------------|-----|-----|------|-------|------|---|--------------|
| 0334140L613 | 32 | | | 56,78 | 140 | 2 | 15 |
| 0334290L613 | 160 | - | - | 98,31 | 290 | 2 | 15 |
| 0334490L613 | 192 | 360 | - | 98,31 | 490 | 4 | 10 |
| 03341190L613 | 320 | 832 | 1060 | 98,31 | 1190 | 6 | 5 <i>New</i> |



CUTT_0322

ALUMINIUM

Design: Alexis Vivet



| 24 | 09 | C | C1 | L | ☐ |
|---------------------------------------|---------------------------------|-----|------|------|---------------|
| Stain. steel look <i>Inox look</i> | Matt Black <i>Negro mate</i> | | | | |
| 0322200L24 | 0322200L09 | 96 | 128 | 200 | 25 |
| 0322400L24 | 0322400L09 | 192 | 320 | 400 | 25 |
| 0322600L24 | 0322600L09 | 320 | 480 | 600 | 25 |
| - | 03221000L09 | 320 | 896 | 1000 | 15 <i>New</i> |
| - | 03221500L09 | 480 | 1376 | 1500 | 10 <i>New</i> |


| 01 | 613 <i>New finish</i> | C | C1 | L | ☐ |
|--|---|-----|-----|-----|----|
| Polished chrome <i>Cromo brillo</i> | Antique bronze <i>Bronce antiguo</i> | | | | |
| 0322200L01 | 0322200L613 | 96 | 128 | 200 | 25 |
| 0322400L01 | 0322400L613 | 192 | 320 | 400 | 25 |
| 0322600L01 | 0322600L613 | 320 | 480 | 600 | 25 |



ANGLE_0077


ALUMINIUM

Design: Viefe®



| | | | | | |
|---------------------|-------------------|-----|-----|-----|----------|
| 01 | 24 | | | | |
| Polished chrome | Stain. steel look | | | | |
| <i>Cromo brillo</i> | <i>Inox look</i> | | | | |
| 0077064L01 | 0077064L24 | 64 | - | - | 100 2 25 |
| 0077128L01 | 0077128L24 | 128 | 160 | - | 200 4 25 |
| 0077192L01 | 0077192L24 | 192 | - | - | 300 2 25 |
| 0077256L01 | 0077256L24 | 256 | - | - | 400 2 25 |
| 0077416L01 | 0077416L24 | 416 | - | - | 500 2 25 |
| 0077512L01 | 0077512L24 | 480 | - | - | 600 2 25 |
| 0077640L01 | 0077640L24 | 640 | - | 320 | 900 3 25 |

New
VANN_0375
 Screwing from back
 ALUMINIUM





| 02 | 24 | 09 | 29 | C1 | C2 | L | ↓ | ☰ |
|--|--------------------------------------|---|---|------|-----|------|---|---------------|
| Anodized bright <i>Anodizado brillo</i> | Stain steel look <i>Inox look</i> | Matt black anodize <i>Negro mate anodizado</i> | Brushed dark brass <i>Latón oscuro cepillado</i> | | | | | |
| 0375064L02 | 0375032L24 | 0375032L09 | 0375032L29 | 64 | - | 100 | 2 | 25 |
| 0375128L02 | 0375128L24 | 0375128L09 | 0375128L29 | 128 | - | 200 | 2 | 25 |
| 0375256L02 | 0375256L24 | 0375256L09 | 0375256L29 | 256 | - | 350 | 2 | 25 |
| - | - | 03751120L09 | 03751120L29 | 1120 | 384 | 1200 | 4 | 15 <i>New</i> |

ONA_0372

ALUMINIUM / ALUMINIO

Design: Teruel Paré



| 30 | 31 | | | | | |
|---|---------------------------------------|------|-----|------|---|---|
| Brushed black <i>Negro cepillado</i> | Brushed grey <i>Gris cepillado</i> | C1 | C2 | L | ↓ |  |
| 0372032L30 | 0372032L31 | 32 | - | 50 | 2 | 25 |
| 0372128L30 | 0372128L31 | 128 | - | 200 | 2 | 25 |
| 0372256L30 | 0372256L31 | 256 | - | 350 | 2 | 25 |
| 0372544L30 | 0372544L31 | 544 | - | 600 | 3 | 25 <i>New</i> |
| 03721056L30 | 03721056L31 | 1056 | 416 | 1100 | 4 | 15 |
| 03721440L30 | 03721440L31 | 1440 | 480 | 1500 | 4 | 10 <i>New</i> |




New
HEXXA 0449

ALUMINIUM / ZAMAK


Design: Alexis Vivet




Cover A
Cubierta A




Cover B (cover simetry)
Cubierta B (cubierta simétrica)



Cover A
Cubierta A



Cover B
Cubierta B




| | M1 Matt white <i>Blanco mate</i> | M2 Matt black <i>Negro mate</i> | M23 Metallic grey <i>Gris metal</i> | M41 Metallic brown <i>Marrón metal</i> | L | |
|-------------|---|--|--|---|------|----|
| ALUMINIUM | 0449200LM1 | 0449200LM2 | 0449200LM23 | 0449200LM41 | 200 | 25 |
| ALUMINIUM | 04491100LM1 | 04491100LM2 | 04491100LM23 | 04491100LM41 | 1100 | 15 |
| ALUMINIUM | 04493000LM1 | 04493000LM2 | 04493000LM23 | 04493000LM41 | 3000 | 10 |
| ZAMAK Cover | 0449035ZM1A | 0449035ZM2A | 0449035ZM23A | 0449035ZM41A | - | 25 |
| ZAMAK Cover | 0449035ZM1B | 0449035ZM2B | 0449035ZM23B | 0449035ZM41B | - | 25 |


TAMM_0311
ALUMINIUM




24


| Stain. steel look Inox look | C | Cl | L | 📦 |
|--------------------------------|------|----|------|----|
| 0311140L24 | 32 | 54 | 140 | 15 |
| 0311190L24 | 64 | 63 | 190 | 15 |
| 0311240L24 | 128 | 56 | 240 | 15 |
| 0311290L24 | 160 | 58 | 290 | 15 |
| 0311340L24 | 192 | 58 | 340 | 15 |
| 0311390L24 | 256 | 58 | 390 | 15 |
| 0311440L24 | 256 | 58 | 440 | 10 |
| 0311490L24 | 320 | 58 | 490 | 10 |
| 0311590L24 | 448 | 58 | 590 | 10 |
| 0311690L24 | 512 | 58 | 690 | 10 |
| 0311790L24 | 608 | 58 | 790 | 10 |
| 0311890L24 | 704 | 58 | 890 | 5 |
| 0311990L24 | 832 | 58 | 990 | 5 |
| 03111190L24 | 1024 | 58 | 1190 | 5 |






JEY2_0163
ALUMINIUM


| | | | | |
|--|--|---------------------------------|--------|---|
| 02 | 24 | M2 <i>New finish</i> | | |
| Anodized bright <i>Anodizado brillo</i> | Stainless steel look <i>Inox look</i> | Matt Black <i>Negro mate</i> | L |  |
| 01633000L02 | 01633000L24 | 01633000LM2 | 3000mm | 5 |




JEY_0127
ALUMINIUM


| | | | | |
|--|--|---------------------------------|--------|---|
| 02 | 24 | M2 <i>New finish</i> | | |
| Anodized bright <i>Anodizado brillo</i> | Stainless steel look <i>Inox look</i> | Matt Black <i>Negro mate</i> | L |  |
| 01273000L02 | 01273000L24 | 01273000LM2 | 3000mm | 5 |


STEEP_0380
ALUMINIUM

| | | | | | |
|--|--|--------|----|------|---|
| 02 | 24 | | | | |
| Anodized bright <i>Anodizado brillo</i> | Stainless steel look <i>Inox look</i> | L | W | H |  |
| 03803000L02 | 03803000L24 | 3000mm | 21 | 21,8 | 15 |




GRADA_0343
ALUMINIUM

| | | | | |
|--|--|--------|----|---|
| 02 | 24 | | | |
| Anodized bright <i>Anodizado brillo</i> | Stainless steel look <i>Inox look</i> | L | |  |
| 03433000L02 | 03433000L24 | 3000mm | 15 | |



FORMA_0250

ALUMINIUM




| 24 | W1 | W2 | L | |
|---------------------------------------|---------------------------------|------|------|----|
| Stain. steel look <i>Inox look</i> | Door 19mm <i>Puerta 19mm</i> | | | |
| 0250147L24 | 38 | 19,8 | 147 | 15 |
| 0250197L24 | 38 | 19,8 | 197 | 15 |
| 0250247L24 | 38 | 19,8 | 247 | 15 |
| 0250297L24 | 38 | 19,8 | 297 | 15 |
| 0250347L24 | 38 | 19,8 | 347 | 15 |
| 0250397L24 | 38 | 19,8 | 397 | 15 |
| 0250447L24 | 38 | 19,8 | 447 | 10 |
| 0250497L24 | 38 | 19,8 | 497 | 10 |
| 0250597L24 | 38 | 19,8 | 597 | 10 |
| 0250697L24 | 38 | 19,8 | 697 | 10 |
| 0250797L24 | 38 | 19,8 | 797 | 10 |
| 0250897L24 | 38 | 19,8 | 897 | 5 |
| 0250997L24 | 38 | 19,8 | 997 | 5 |
| 02501197L24 | 38 | 19,8 | 1197 | 5 |

NOMA_0254

Screwing from back
ALUMINIUM


| 02 | 24 | 613 <i>New finish</i> | C | L | |
|--|---------------------------------------|---|-----|-----|----|
| Anodized bright <i>Anodizado brillo</i> | Stain. steel look <i>Inox look</i> | Antique bronze <i>Bronce antiguo</i> | | | |
| 0254128L02 | 0254128L24 | 0254128L613 | 128 | 200 | 25 |
| 0254256L02 | 0254256L24 | 0254256L613 | 256 | 350 | 25 |



CURVE_0117

Screwing from back

ALUMINIUM





| 24 | M1 | M2 | 31 <i>New finish</i> | C | L | |
|---------------------------------------|----------------------------------|---------------------------------|---------------------------------------|-----|-----|----|
| Stain. steel look <i>Inox look</i> | Matt white <i>Blanco mate</i> | Matt black <i>Negro mate</i> | Brushed grey <i>Gris cepillado</i> | | | |
| 0117032L24 | 0117032LM1 | 0117032LM2 | 0117032L31 | 32 | 45 | 25 |
| 0117064L24 | - | - | - | 64 | 100 | 25 |
| 0117128L24 | 0117128LM1 | 0117128LM2 | 0117128L31 | 128 | 200 | 25 |
| 0117192L24 | - | - | - | 192 | 300 | 25 |
| 0117320L24 | - | - | - | 320 | 400 | 25 |
| 0117416L24 | - | - | - | 416 | 500 | 25 |



New STRATT 0465

ALUMINIUM

Design: Alexis Vivet




| 09 | 24 | C1 | C2 | L | | |
|---------------------------------|--|------|-----|------|---|----|
| Matt black <i>Negro mate</i> | Stainless steel look <i>Inox look</i> | | | | | |
| 0465032L09 | 0465032L24 | 32 | - | 50 | 2 | 25 |
| 0465128L09 | 0465128L24 | 128 | - | 150 | 2 | 25 |
| 0465192L09 | 0465192L24 | 192 | - | 250 | 2 | 25 |
| 04651056L09 | 04651056L24 | 1056 | 416 | 1100 | 4 | 15 |





New
NICK_0373
ZAMAK

| 01 | 23 | 27 | C | L |  |
|--|---|---|-----|-----|---|
| Polished chrome <i>Cromo brillo</i> | Brushed nickel <i>Niquel cepillado</i> | Brushed brass <i>Latón cepillado</i> | | | |
| 0373032Z01 | 0373032Z23 | 0373032Z27 | 32 | 50 | 25 |
| 0373160Z01 | 0373160Z23 | 0373160Z27 | 160 | 178 | 25 |



ARA_0239
ALUMINIUM

| 01 | 24 | C | L |  |
|--|---------------------------------------|-----|-----|---|
| Polished chrome <i>Cromo brillo</i> | Stain. steel look <i>Inox look</i> | | | |
| 0239096L01 | 0239096L24 | 96 | 156 | 25 |
| 0239192L01 | 0239192L24 | 192 | 252 | 25 |
| 0239320L01 | 0239320L24 | 320 | 380 | 25 |




U_0056
ZAMAK




| 01 | 23 | M2 | 27 | 31 <i>New finish</i> | C | L | |
|--|---|---------------------------------|---|--------------------------------------|-----|-------|----|
| Polished chrome <i>Cromo brillo</i> | Brushed nickel <i>Niquel cepillado</i> | Matt black <i>Negro mate</i> | Brushed brass <i>Latón cepillado</i> | Brush. grey <i>Gris cepillado</i> | | | |
| 0056128Z01 | 0056128Z23 | 0056128ZM2 | 0056128ZZ27 | 0056128Z31 | 128 | 136,5 | 25 |
| 0056192Z01 | 0056192Z23 | 0056192ZM2 | 0056192ZZ27 | 0056192Z31 | 192 | 200,5 | 25 |
| 0056320Z01 | 0056320Z23 | 0056320ZM2 | 0056320ZZ27 | 0056320Z31 | 320 | 328,5 | 25 |
| 0056492Z01 | 0056492Z23 | 0056492ZM2 | 0056492ZZ27 | 0056492Z31 | 492 | 500,5 | 25 |

DINO_0053
ZAMAK



| 01 | 23 | M1 | M2 | C1 | C2 | L | H | |
|--|---|----------------------------------|---------------------------------|-----|-----|-----|----|----|
| Polished chrome <i>Cromo brillo</i> | Brushed nickel <i>Niquel cepillado</i> | Matt white <i>Blanco mate</i> | Matt black <i>Negro mate</i> | | | | | |
| 0053096Z01 | 0053096Z23 | 0053096ZM1 | 0053096ZM2 | 96 | 128 | 156 | 24 | 25 |
| 0053192Z01 | 0053192Z23 | 0053192ZM1 | 0053192ZM2 | 160 | 192 | 221 | 28 | 25 |
| 0053320Z01 | 0053320Z23 | 0053320ZM1 | 0053320ZM2 | 288 | 320 | 349 | 28 | 25 |




KARES_0306
ZAMAK


| 01 | 23 | M1 | C | L |  |
|--|---|----------------------------------|-----|-----|---|
| Polished chrome <i>Cromo brillo</i> | Brushed nickel <i>Níquel cepillado</i> | Matt white <i>Blanco mate</i> | | | |
| 0306032Z01 | 0306032Z23 | 0306032ZM1 | 32 | 88 | 25 |
| 0306096Z01 | 0306096Z23 | 0306096ZM1 | 96 | 152 | 25 |
| 0306192Z01 | 0306192Z23 | 0306192ZM1 | 192 | 312 | 25 |



ROMA_0241
ZAMAK


| 01 | 24 | C | L |  |
|--|---------------------------------------|-----|-----|---|
| Polished chrome <i>Cromo brillo</i> | Stain. steel look <i>Inox look</i> | | | |
| 0241160Z01 | 0241160Z23 | 160 | 175 | 25 |
| 0241192Z01 | 0241192Z23 | 192 | 207 | 25 |
| 0241320Z01 | 0241320Z23 | 320 | 335 | 25 |





LAU_0200
ZAMAK


| 01 | 23 | | | |
|--|---|-----|-------|----|
| Polished chrome <i>Cromo brillo</i> | Brushed nickel <i>Níquel cepillado</i> | C | L | |
| 0200032Z01 | 0200032Z23 | 32 | 38,5 | 25 |
| 0200160Z01 | 0200160Z23 | 160 | 166,5 | 25 |



THIN_0230
ZAMAK

| 01 | 24 | P1 | | | |
|--|---------------------------------------|----------------------------------|-----|-----|----|
| Polished chrome <i>Cromo brillo</i> | Stain. steel look <i>Inox look</i> | Chrome look <i>Cromo look</i> | C | L | |
| 0230064Z01 | 0230064Z23 | 0230064ZP1 | 64 | 96 | 25 |
| 0230160Z01 | 0230160Z23 | 0230160ZP1 | 160 | 192 | 25 |

ASI_0341
ALUMINIUM





| M2 <i>New finish</i> | 01 | 24 | | | |
|---------------------------------|--|---------------------------------------|-----|-----|----|
| Matt black <i>Negro mate</i> | Polished chrome <i>Cromo brillo</i> | Stain, steel look <i>Inox look</i> | C | L | 📦 |
| 0341128LM2 | 0341128L01 | 0341128L24 | 128 | 146 | 25 |
| 0341192LM2 | 0341192L01 | 0341192L24 | 192 | 210 | 25 |
| 0341320LM2 | 0341320L01 | 0341320L24 | 320 | 338 | 25 |

New
SENSE MINI_0301
ALUMINIUM



| 09 | 29 | | | |
|---------------------------------|---|-----|-----|----|
| Matt black <i>Negro mate</i> | Brushed dark brass <i>Latón oscuro cepillado</i> | C | L | 📦 |
| 0301096L09 | 0301096L29 | 96 | 103 | 25 |
| 0301160L09 | 0301160L29 | 160 | 167 | 25 |
| 0301256L09 | 0301256L29 | 256 | 263 | 25 |





ARROW_0219
ZAMAK

| | | | | | |
|--|---------------------------------------|-----|-----|----|--|
| 01 | 24 | | | | |
| Polished chrome <i>Cromo brillo</i> | Stain. steel look <i>Inox look</i> | C | L | | |
| 0219192Z01 | 0219192Z23 | 192 | 223 | 25 | |



New
ESTE 0446
ZAMAK

Design: Balutto Associati Design




| | | | |
|--------------------------------------|--------------------------------------|---------------------------------|------|
| 28 | 617 | M2 | |
| Brushed gold <i>Oro cepillado</i> | Graphite grey <i>Gris grafito</i> | Matt black <i>Negro mate</i> | |
| 0446160Z28 | 0446160Z617 | 0446160ZM2 | 2 25 |

New
FELTRE 0451

ZAMAK

Design: Balutto Associati Design




| | | | |
|---------------|------------|---|----|
| 617 | M2 | | |
| Graphite grey | Matt black | | |
| Gris grafito | Negro mate | ↓ | 📦 |
| 0451192Z617 | 0451192ZM2 | 2 | 25 |



New
BELLA 0447

ZAMAK


Design: Balutto Associati Design



| | | | |
|---------------|---------------|------------|------|
| 28 | 617 | M2 | |
| Brushed gold | Graphite grey | Matt black | |
| Oro cepillado | Gris grafito | Negro mate | ↓ |
| 0447160Z28 | 0447160Z617 | 0447160ZM2 | 2 25 |




New
CLOS_0235
ZAMAK



| | | | | |
|----------------------------------|---------------------------------|--|---|---|
| M1 | M2 | Z01 | Z23 | |
| Matt white <i>Blanco mate</i> | Matt black <i>Negro mate</i> | Polished chrome <i>Cromo brillo</i> | Brushed nickel <i>Niquel cepillado</i> |  |
| 0235128ZM1 | 0235128ZM2 | 0235128Z01 | 0235128Z23 | 25 |


New
CUBIC_0366
ZAMAK

| | | |
|--------------------|-------------------|---|
| M1 | M2 | |
| Matt white | Matt black | |
| <i>Blanco mate</i> | <i>Negro mate</i> |  |
| 0366160ZM1 | 0366160ZM2 | 25 |



New
HOLLOW_0073
ZAMAK

| | | | | |
|-------------------|-------------------|----|------|---|
| P1 | 26 | | | |
| Chrome look | Matt black | | | |
| <i>Cromo look</i> | <i>Negro mate</i> | D | D1 |  |
| 0073040ZP1 | 0073040ZM2 | 40 | 36 | 25 |
| 0073060ZP1 | 0073060ZM2 | 60 | 55,8 | 25 |



FLAT_0281

ZAMAK






| | | |
|---|--|---------------------|
| <p>01 Polished chrome <i>Cromo brillo</i></p> | <p>23 Brushed nickel <i>Niquel cepillado</i></p> | <p>C L </p> |
| <p>0281160Z01</p> | <p>0281160Z23</p> | <p>160 174,8 25</p> |



LOW ST_0243ST


ZAMAK



| | | |
|---|--|--------------------------------|
| <p>01 Polished chrome <i>Cromo brillo</i></p> | <p>23 Brushed nickel <i>Niquel cepillado</i></p> | <p>C L </p> |
| <p>0243064Z01ST 0243192Z01ST</p> | <p>0243064Z23ST 0243192Z23ST</p> | <p>64 78 25 192 206 25</p> |

RASO_0091


ZAMAK



| | | |
|---|--|----------------------------------|
| <p>01 Polished chrome <i>Cromo brillo</i></p> | <p>23 Brushed nickel <i>Niquel cepillado</i></p> | <p>C L </p> |
| <p>0091032Z01 0091108Z01</p> | <p>0091032Z23 0091108Z23</p> | <p>32 70 25 108 152,5 25</p> |




WAVE_0119
ZAMAK



| 01 | 23 | | | |
|--|---|-----|-----|----|
| Polished chrome <i>Cromo brillo</i> | Brushed nickel <i>Niquel cepillado</i> | C | L | |
| 0119032Z01 | 0119032Z23 | 32 | 45 | 25 |
| 0119160Z01 | 0119160Z23 | 160 | 173 | 25 |




POCKET_0209
ZAMAK




| 01 | 23 | | | |
|--|---|-----|-----|----|
| Polished chrome <i>Cromo brillo</i> | Brushed nickel <i>Niquel cepillado</i> | C | L | |
| 0209192Z01 | 0209192Z23 | 192 | 201 | 25 |

New
BALL_0374
ZAMAK




| 01 | 23 | 27 <i>New finish</i> | L | W | H | |
|--|---|---|------|------|------|----|
| Polished chrome <i>Cromo brillo</i> | Brushed nickel <i>Niquel cepillado</i> | Brushed brass <i>Latón cepillado</i> | | | | |
| 0374024Z01 | 0374024Z23 | 0374024Z27 | 23,3 | 14,8 | 22,8 | 25 |
| 0374029Z01 | 0374029Z23 | 0374029Z27 | 29,5 | 18,3 | 28,8 | 25 |

New
BOXX_0376
ZAMAK



| 01 | 23 | M2 | |
|--|---|---------------------------------|----|
| Polished chrome <i>Cromo brillo</i> | Brushed nickel <i>Niquel cepillado</i> | Black matt <i>Negro mate</i> | |
| 0376012Z01 | 0376012Z23 | 0376012ZM2 | 25 |


HOOK_0114
ZAMAK



| 01 | 23 | L | W | H | |
|--|---|----|----|----|----|
| Polished chrome <i>Cromo brillo</i> | Brushed nickel <i>Niquel cepillado</i> | | | | |
| 0114030Z01 | 0114030Z23 | 30 | 20 | 28 | 25 |

GRAF_0109


ZAMAK



| | | | | |
|---------------------|-------------------|----------------------|------------------------|----|
| 01 | M2 | 24 | 27 | |
| Polished chrome | Matt black | Stainless steel look | Brushed brass | |
| <i>Cromo brillo</i> | <i>Negro mate</i> | <i>Inox look</i> | <i>Latón cepillado</i> | |
| 0109017L01 | 0109017LM2 | 0109017L24 | 0109017L27 | 25 |

ZAPA_0315

ZAMAK




| | | |
|---------------------|-------------------------|----|
| 01 | 23 | |
| Polished chrome | Brushed nickel | |
| <i>Cromo brillo</i> | <i>Níquel cepillado</i> | |
| 0315020Z01 | 0315020Z23 | 25 |

New

COMO_0168

ZAMAK


Design: Viefe®



| | | | | | |
|-----------------------|-------------------------|----------------------|----------------------|-------------------|------------|
| 01 | 23 | 28 <i>New finish</i> | M1 <i>New finish</i> | M2 | |
| Polished chrome | Brushed nickel | Brushed gold | Matt white | Matt black | |
| <i>Cromo brillo</i> | <i>Níquel cepillado</i> | <i>Oro cepillado</i> | <i>Blanco mate</i> | <i>Negro mate</i> | Ø H |
| 0168026Z01 | 0168026Z23 | 0168026Z28 | 0168026ZM1 | 0168026ZM2 | 26 18 1 25 |
| <i>New</i> 0168041Z01 | 0168041Z23 | 0168041Z28 | 0168041ZM1 | 0168041ZM2 | 41 25 1 25 |



PLEC_0282
STAINLESS STEEL



Note: For sliding door (Glass)




25

| Brushed stain. steel <i>Inox cepillado</i> | L | W | |
|---|-----|----|---|
| 0282075S25 | 75 | 75 | 2 |
| 0282150S25 | 150 | 75 | 2 |
| 0283050S25 | 50 | 50 | 2 |
| 0283150S25 | 150 | 50 | 2 |



CONCA_0287
WOOD




Note: For sliding door (Wood)

| 15 Maple Maple | 16 Oak Roble | 17 Walnut Nogal | L | W | D | |
|----------------------|--------------------|-----------------------|-----|----|----|---|
| 0287065W15 | 0287065W16 | 0287065W17 | - | - | 65 | 2 |
| 0287090W15 | 0287090W16 | 0287090W17 | - | - | 90 | 2 |
| 0288065W15 | 0288065W16 | 0288065W17 | 65 | 65 | - | 2 |
| 00289150W15 | 0289150W16 | 0289150W17 | 150 | 50 | - | 2 |




New
TOPO_0336
ACRYLIC



| 02 + 01 | 83 + 01 | 75 + 01 | 21 + 76 | 21 + 33 | 21 + 41 | C | D | H | W | |
|--|---|--------------------------------------|---|-------------------------------------|--------------------------------------|----|----|----|------|----|
| Black + White <i>Negro + Blanco</i> | Sky blue + White <i>Celeste + Blanco</i> | Pink + White <i>Rosa + Blanco</i> | Grey + Pale pink <i>Gris + Rosa palo</i> | Grey + Green <i>Gris + Verde</i> | Grey + Brown <i>Gris + Marrón</i> | | | | | |
| 0336016A0201 | 0336016A8301 | 0336016A7501 | 0336016A2176 | 0336016A2133 | 0336016A2141 | 16 | 50 | 24 | 45,5 | 25 |
| 0336032A0201 | 0336032A8301 | 0336032A7501 | 0336032A2176 | 0336032A2133 | 0336032A2141 | 32 | 80 | 28 | 76,3 | 12 |

MYRA_0337
ACRYLIC




| 02+01 | 83+01 | 75+01 | 21+76 | 21+33 | 21+41 | C | L | |
|--|---|--------------------------------------|---|-------------------------------------|--------------------------------------|-----|-----|----|
| Black + White <i>Negro + Blanco</i> | Sky blue + White <i>Celeste + Blanco</i> | Pink + White <i>Rosa + Blanco</i> | Grey + Pale pink <i>Gris + Rosa palo</i> | Grey + Green <i>Gris + Verde</i> | Grey + Brown <i>Gris + Marrón</i> | | | |
| 0337016A0201 | 0337016A8301 | 0337016A7501 | 0337016A2176 | 0337016A2133 | 0337016A2141 | 16 | 42 | 25 |
| 0337096A0201 | 0337096A8301 | 0337096A7501 | 0337096A2176 | 0337096A2133 | 0337096A2141 | 96 | 122 | 25 |
| 0337192A0201 | 0337192A8301 | 0337192A7501 | 0337192A2176 | 0337192A2133 | 0337192A2141 | 192 | 218 | 25 |

DECO_0012

ZAMAK + ACRYLIC




| 01+01 | 01+02 | 01+03 | 01+06 | |
|---|--|--|---|----|
| Polished chrome + White <i>Cromo brillo + Blanco</i> | Polished chrome + Black <i>Cromo brillo + Negro</i> | Polished chrome + Lime <i>Cromo brillo + Lima</i> | Polished chrome + Orange <i>Cromo brillo + Naranja</i> | |
| 0012028V0101 | 0012028V0102 | 0012028V0103 | 0012028V0106 | 25 |
| 0012096V0101 | 0012096V0102 | 0012096V0103 | 0012096V0106 | 25 |
| 0012128V0101 | 0012128V0102 | 0012128V0103 | 0012128V0106 | 25 |
| 0012160V0101 | 0012160V0102 | 0012160V0103 | 0012160V0106 | 25 |



EME_0106


ZAMAK + ACRYLIC



| 01+M1 | 01+M2 | 01+M3 | C | L | |
|---|---|--|-----|-----|----|
| Polished chrome + White <i>Cromo brillo + Blanco</i> | Polished chrome + Brown <i>Cromo brillo + Marrón</i> | Polished chrome + Black <i>Cromo brillo + Negro</i> | | | |
| 0106160V01M1 | 0106160V01M2 | 0106160V01M3 | 160 | 175 | 25 |
| 0106224V01M1 | 0106224V01M2 | 0106224V01M3 | 224 | 239 | 25 |

CLOUD_0118

ACRYLIC




| 01 | 02 | C | L | |
|------------------------|-----------------------|-----|-----|----|
| White <i>Blanco</i> | Black <i>Negro</i> | | | |
| 0118016A01 | 0118016A02 | 16 | 52 | 25 |
| 0118160A01 | 0118160A02 | 160 | 198 | 25 |






NEXT_0134
ACRYLIC

Applications / Aplicaciones:



| | | | | | | | |
|------------------------|-----------------------|---------------------|-----------------------|--------------------------|---------------------|--------------------------|----|
| 01 | 02 | 03 | 04 | 06 | 08 | 13 | |
| White <i>Blanco</i> | Black <i>Negro</i> | Lime <i>Lima</i> | Coffee <i>Café</i> | Orange <i>Naranja</i> | Blue <i>Azul</i> | Violet <i>Violeta</i> | |
| 0134160A01 | 0134160A02 | 0134160A03 | 0134160A04 | 0134160A06 | 0134160A08 | 0134160A13 | 25 |




SEIKO_0150
ACRYLIC



| | | | | | | | |
|------------------------|-----------------------|---------------------|--------------------------|--------------------------|---------------------|---------------------|----|
| 01 | 02 | 03 | 13 | 62 | 73 | 81 | |
| White <i>Blanco</i> | Black <i>Negro</i> | Lime <i>Lima</i> | Violet <i>Violeta</i> | Orange <i>Naranja</i> | Pink <i>Rosa</i> | Blue <i>Azul</i> | |
| 0150050A01 | 0150050A02 | 0150050A03 | 0150050A13 | 0150050A62 | 0150050A73 | 0150016A81 | 25 |



CORE_0074
ACRYLIC





| 01 | 02 | 03 | 04 | 06 | 08 | 13 | C | L | |
|------------------------|-----------------------|---------------------|-----------------------|--------------------------|---------------------|--------------------------|-----|-----|----|
| White <i>Blanco</i> | Black <i>Negro</i> | Lime <i>Lima</i> | Coffee <i>Café</i> | Orange <i>Naranja</i> | Blue <i>Azul</i> | Violet <i>Violeta</i> | | | |
| 0074001A01 | 0074001A02 | 0074001A03 | 0074001A04 | 0074001A06 | 0074001A08 | 0074001A13 | - | 33 | 25 |
| 0074032A01 | 0074032A02 | 0074032A03 | 0074032A04 | 0074032A06 | 0074032A08 | 0074032A13 | 32 | 61 | 25 |
| 0074096A01 | 0074096A02 | 0074096A03 | 0074096A04 | 0074096A06 | 0074096A08 | 0074096A13 | 96 | 125 | 25 |
| 0074160A01 | 0074160A02 | 0074160A03 | 0074160A04 | 0074160A06 | 0074160A08 | 0074160A13 | 160 | 190 | 25 |
| 0074192A01 | 0074192A02 | 0074192A03 | 0074192A04 | 0074192A06 | 0074192A08 | 0074192A13 | 192 | 222 | 25 |



REC_0320

ZAMAK + ACRYLIC





| | 01 | 23 | C1 | C2 | L |  |
|--------------------------------------|--|---|-----|-----|-----|---|
| | Polished chrome <i>Cromo brillo</i> | Brushed nickel <i>Niquel cepillado</i> | | | | |
| M1 White / Blanco | 0320016V01M1 | 0320016V23M1 | - | 16 | 28 | 25 |
| M1 White / Blanco | 0320128V01M1 | 0320128V23M1 | 96 | 128 | 141 | 25 |
| M1 White / Blanco | 0320192V01M1 | 0320192V23M1 | 160 | 192 | 205 | 25 |
| M2 Black / Negro | 0320016V01M2 | 0320016V23M2 | - | 16 | 28 | 25 |
| M2 Black / Negro | 0320128V01M2 | 0320128V23M2 | 96 | 128 | 141 | 25 |
| M2 Black / Negro | 0320192V01M2 | 0320192V23M2 | 160 | 192 | 205 | 25 |
| T5 Transparent brown / Trans. marrón | 0320016V01T5 | 0320016V23T5 | - | 16 | 28 | 25 |
| T5 Transparent brown / Trans. marrón | 0320128V01T5 | 0320128V23T5 | 96 | 128 | 141 | 25 |
| T5 Transparent brown / Trans. marrón | 0320192V01T5 | 0320192V23T5 | 160 | 192 | 205 | 25 |



DOMO_0294

ZAMAK + ACRYLIC




| | | | | |
|---|---------------------------------|--|---|---|
| | 09 | 01 | 23 | |
| | Matt black <i>Negro mate</i> | Polished chrome <i>Cromo brillo</i> | Brushed nickel <i>Níquel cepillado</i> |  |
| F1 Matt transparent / Transparente mate | 0294016V09F1 | 0294016V01F1 | 0294016V23F1 | 25 |
| F2 Matt transparent grey / Gris transparente. mate | 0294016V09F2 | 0294016V01F2 | 0294016V23F2 | 25 |
| F4 Matt tran. light brown / Marrón claro tran. mate | 0294016V09F4 | 0294016V01F4 | 0294016V23F4 | 25 |
| F5 Matt tran. dark brown / Marrón oscuro tran. mate | 0294016V09F5 | 0294016V01F5 | 0294016V23F5 | 25 |



QUATTRO_0007


ZAMAK + ACRYLIC



| 22+01 | 22+02 | L | W | H | Icon |
|--|---|------|------|------|------|
| Brushed nickel + White <i>Niquel cepillado + Blanco</i> | Brushed nickel + Black <i>Niquel cepillado + Negro</i> | | | | |
| 0007028V2201 | 0007028V2202 | 28 | 28 | 19 | 25 |
| 0007035V2201 | 0007035V2202 | 34,7 | 34,7 | 23,7 | 25 |

PISTON_0009


ZAMAK + ACRYLIC



| 01+22 | 02+22 | Icon |
|--|---|------|
| White + Brushed nickel <i>Blanco + Niquel cepillado</i> | Black + Brushed nickel <i>Negro + Niquel cepillado</i> | |
| 0009035V0122 | 0009035V0222 | 25 |

PIRAMIDAL_0100


ACRYLIC



| 01 | 02 | Icon |
|------------------------|-----------------------|------|
| White <i>Blanco</i> | Black <i>Negro</i> | |
| 0100016A01 | 0100016A02 | 25 |

FINGER_0095


ZAMAK + ACRYLIC



| 01 + 01 | 01 + 02 | Icon |
|---|--|------|
| Polished chrome + White <i>Cromo brillo + Blanco</i> | Polished chrome + Black <i>Cromo brillo + Negro</i> | |
| 0095028V0101 | 0095028V0102 | 25 |

OPALE_0120


ACRYLIC



| FJ4 | OP1 | OP5 | L | H | 📦 |
|------------------------------------|------------------------|------------------------|----|----|----|
| Dark brown <i>Marrón oscuro</i> | White <i>Blanco</i> | Brown <i>Marrón</i> | | | |
| 0120038AFJ4 | 0120038AOP1 | 0120038AOP5 | 38 | 20 | 25 |
| 0120055AFJ4 | 0120055AOP1 | 0120055AOP5 | 55 | 25 | 25 |


FRUIT_0113

ZAMAK + ACRYLIC



| | | | | | | |
|---|--|--|--|---|---|----|
| 01+01 | 01+02 | 01+03 | 01+42 | 01+61 | 01+72 | 📦 |
| Polished chrome + White <i>Cromo brillo + Blanco</i> | Pol. chr. + Black <i>Cromo brillo + Negro</i> | Pol. chr. + Lime <i>Cromo brillo + Lima</i> | Pol. chr.+ Brown <i>Cromo brillo + Marrón</i> | Pol. chr. + Orange <i>Cromo brillo + Naranja</i> | Pol. chr. + Red <i>Cromo brillo + Rojo</i> | |
| 0113040V0101 | 0113040V0102 | 0113040V0103 | 0113040V0142 | 0113040V0161 | 0113040V0172 | 25 |

ARA W_0239
ALUMINIUM + WOOD



24 + 16

Stainless steel look + Oak
Inox look + Roble

0239160N2416

0239224N2416

24 + 17

Stainless steel look + Walnut
Inox look + Nogal

0239160N2417

0239224N2417


C L

160 220 25

224 284 25



CALIN_0165
WOOD



00

Raw brushed
Crudo cepillado

0165160W00

02

White brushed
Blanco cepillado

0165160W02

08

Brown brushed
Marrón cepillado

0165160W08

09

Black brushed
Negro cepillado

0165160W09




25

BARCCO_0340

WOOD




| 18 | 19 | 00 | C | CI | L | |
|----------------------|------------------------|--------------------------------|-----|-----|-----|----|
| Ash <i>Fresno</i> | Walnut <i>Nogal</i> | Beech raw <i>Haya crudo</i> | | | | |
| 0340200W18 | 0340200W19 | 0340200W00 | 160 | - | 200 | 25 |
| 0340400W18 | 0340400W19 | 0340400W00 | 320 | - | 400 | 25 |
| 0340600W18 | 0340600W19 | 0340600W00 | 320 | 480 | 600 | 25 |



ECHO_0166


WOOD





| 00 | 02 | 08 | 09 | |
|---------------------------------------|--|--|---|----|
| Raw brushed <i>Crudo cepillado</i> | White brushed <i>Blanco cepillado</i> | Brown brushed <i>Marrón cepillado</i> | Black brushed <i>Negro cepillado</i> | |
| 0166060W00 | 0166060W02 | 0166060W08 | 0166060W09 | 25 |

BALTO_0167

WOOD




| 00 | 02 | 08 | 09 | |
|---------------------------------------|--|--|---|----|
| Raw brushed <i>Crudo cepillado</i> | White brushed <i>Blanco cepillado</i> | Brown brushed <i>Marrón cepillado</i> | Black brushed <i>Negro cepillado</i> | |
| 0167016W00 | 0167016W02 | 0167016W08 | 0167016W09 | 25 |



ROBOTS_0396-0399


FOR KIDS



| | | | |
|-----------------------|-------------|------------|----|
| 80 Blue robot | Robot azul | 0396016W80 | 12 |
| 70 Red robot | Robot rojo | 0397016W70 | 12 |
| 30 Green robot | Robot verde | 0398016W30 | 12 |
| 71 Pink robot | Robot rosa | 0399016W71 | 12 |

NINOT_0123


FOR KIDS



| | | | | |
|-----------------|-------------------------|-------------------|----------------|---------------|
| 01 | 33 | 66 | 76 | 86 |
| White Blanco | Light green Pistacho | Orange Naranja | Pink Fucsia | Blue Azul |
| 0123032W01 | 0123032W33 | 0123032W66 | 0123032W76 | 0123032W86 12 |

MAGIC BALLOONS_0154/0155

FOR KIDS




| | 65 | 62 | 32 | 84 | 85 | 75 | 07 | |
|-------------|--------------------|-------------------|----------------|--------------|----------------|--------------|--------------|----|
| | Yellow Amarillo | Orange Naranja | Green Verde | Blue Azul | Violet Lila | Pink Rosa | Red Rojo | |
| Boy / Niño | 0154100W0165 | 0154100W0162 | 0154100W0132 | 0154100W0184 | 0154100W0185 | 0154100W0175 | 0154100W0107 | 12 |
| Girl / Niña | 0155100W0165 | 0155100W0162 | 0155100W0132 | 0155100W0184 | 0155100W0185 | 0155100W0175 | 0155100W0107 | 12 |



THE EXPLORERS_0151


FOR KIDS



| | 12 | 64 | 83 | L | W | |
|---------------------|---------------|--------------|--------------------------|----|----|----|
| | Beige Beis | Red Coral | Dark Blue Azul marino | | | |
| Crab / Cangrejo | 0151090W0112 | 0151090W0164 | 0151090W0183 | 93 | 50 | 12 |
| Whale / Ballena | 0152090W0112 | 0152090W0164 | 0152090W0183 | 95 | 65 | 12 |
| Starfish / Estrella | 0153090W0112 | 0153090W0164 | 0153090W0183 | 92 | 85 | 12 |


ANIMAL DREAMS_0142

FOR KIDS




| | | | L | W | |
|------------------------|------------|----|----|----|--|
| 74 Pig Cerdo | 0142050A74 | 52 | 52 | 12 | |
| 43 Dog Perro | 0143050A43 | 52 | 50 | 12 | |
| 22 Cat Gato | 0144050A22 | 60 | 50 | 12 | |
| 63 Chick Pollito | 0145050A63 | 52 | 60 | 12 | |
| 31 Crocodile Cocodrilo | 0146050A31 | 60 | 55 | 12 | |
| 82 Seal Foca | 0147050A82 | 60 | 54 | 12 | |
| 01 Rabbit Conejo | 0148050A01 | 50 | 52 | 12 | |

FEET
JAZZ_6003
ZAMAK



| 01 | P1 | C1 | C2 | W | H | |
|--|----------------------------------|----|------|----|----|----|
| Polished chrome <i>Cromo brillo</i> | Chrome look <i>Cromo look</i> | | | | | |
| 6003045Z01 | 6003045ZP1 | 45 | 41.5 | 79 | 91 | 24 |

FEET
FONDA_6005
ZAMAK



| 01 | 30 <i>New finish</i> | C1 | C2 | W | H | ↓ | |
|--|---|----|----|-----|-----|---|----|
| Polished chrome <i>Cromo brillo</i> | Brushed black <i>Negro cepillado</i> | | | | | | |
| 6005100L01 | 6005100L30 | 32 | 44 | 80 | 100 | 4 | 24 |
| 6005200L01 | 6005200L30 | 32 | 64 | 100 | 200 | 4 | 24 |



**MENAGE
CONFORT**

 Made in Spain

Kitchen equipment
Bedroom equipment
Structura modular system

The Company

Since our beginnings in 1948 we have transformed steel to create useful shapes for our daily life.

In 1987 a new production center was built for the design, development and manufacturing of home fittings.

Subsequently and due to the needs of standardizing the manufacturing process and improving our customer service, we built a logistic warehouse.

Our continuous innovation, quality service and meeting of our customer's needs, led us to a constant growth and the introduction of our products into different markets both nationally and internationally.

R&D

We rely on a highly qualified staff and our Design and Research Department is equipped with the state-of-the art technology.

During the development of a new product our main focus is the final user.

From the original idea, throughout all the developing stages, up to the final solution we work in cooperation with our customers.

Easy mounting, functionality, careful design and quality of use are our major focus when it comes to developing a new product.

Manufacturing

There are various stages in our manufacturing process, which we carefully control:

- Raw materials

They must meet the predefined requirements in order to reach the desired quality level.

- Transformation process

We control the manufacturing process at every stage.

- Coating

The coating technical requirements defined by our Quality System specify the optical appearance, shock resistance, stainless and adherence features.

- Assembling and packing

The finished product passes to our assembling and packing section, where each part is checked and finally stored and shipped.

Quality

- Total Quality is our main goal.

Thorough control of the manufacturing process, logistics, storing and customer service. Our Quality Management Certificate UNE-EN ISO 9001-2015 proves it.

- We are committed to the environment.

Throughout our manufacturing process all the potentially polluting waste is appropriately treated, and whenever possible recycled for reuse.

Our certificate of Environmental Management System UNE-EN ISO 14001/2015 proves it.

Kitchen equipment

Functionality, order and cleanliness in a kitchen are conditioned by a whole set of fundamental details: the beauty of an intelligent design, the ergonomic keys that determine the functionality criterion and the quality in materials and finishing. Menage Confort presents a new sophisticated and exclusive concept in kitchen equipment, in which we have taken great care to achieve a perfect balance between formal and functional aspects, so that its beauty and utility provide a pleasant use.



Base unit



Corner unit




Larder unit





Pull-out bottle side runners



| REFERENCE | FRONT UNIT | ARTICLE MEASURES |
|-----------|------------|-----------------------|
| 49000007 | 150 | 108 D X 533 H X 490 L |
| 49042007 | 200 | 158 D X 533 H X 490 L |


FINISH

Anthracite steel ●

OBSERVATIONS

Flat wire with anthracite melamine base. Quadro Hettich Runner. Maximum load 15 kg. Adjustable for 16 to 19mm cabinet thickness.

Pull-out bottle basket **new**



| REFERENCE | FRONT UNIT | ARTICLE MEASURES |
|-----------|------------|---------------------------|
| 49048007 | 300 | 262-268 D X 540 H X 490 L |


FINISH

Anthracite steel ●

OBSERVATIONS

Flat wire with anthracite melamine base. Quadro Hettich runners. Maximum load 30 kg. Adjustable for 16 to 19 mm cabinet thickness.

Pull-out bottle side runners **new**



| REFERENCE | FRONT UNIT | ARTICLE MEASURES |
|-----------|------------|-----------------------|
| 48254014 | 150 | 108 D X 533 H X 490 L |
| 48255014 | 200 | 158 D X 533 H X 490 L |


FINISH

Chrome steel ●

OBSERVATIONS

Round wire with white melamine base. Quadro Hettich runners
Maximum load 15kg. Adjustable for 16 to 19mm cabinet thickness.

Pull-out bottle basket **new**



| REFERENCE | FRONT UNIT | ARTICLE MEASURES |
|-----------|------------|---------------------------|
| 48259014 | 300 | 262-268 D X 543 H X 490 L |

FINISH

Chrome steel ●

OBSERVATIONS

Round wire with white melamine base. Quadro Hettich runners.
Maximum load 30 kg. Adjustable for 16 to 19mm cabinet thickness.

Kitchen equipment

Base unit

Pull-out cleaning basket



| REFERENCE | FRONT UNIT | ARTICLE MEASURES |
|-----------|------------|-----------------------|
| 38750014 | min. 300 | 250 D X 435 H X 486 L |



FINISH

Chrome steel ●

OBSERVATIONS

Quadro Hettich runners. Maximum load 30 kg. Adjustable for 16 to 19 mm cabinet thickness.

Pull-Out Table



| REFERENCE | ARTICLE MEASURES |
|-----------|------------------|
| 35138000 | 500 L X 78 H |



FINISH

Zinc covered steel ●

OBSERVATIONS

Fixed front. Maximum load 55 kg.

Ecological waste bin



| REFERENCE | FRONT UNIT | ARTICLE MEASURES |
|-----------|------------|-----------------------|
| 38430300 | 450 min. | 343 D X 372 H X 475 L |

FINISH



Beige polypropylene



OBSERVATIONS

Capacity: 16 + 16 L. With automatic opening system and soft closing runner.

Folding ironing board



| REFERENCE | ARTICLE MEASURES |
|-----------|-----------------------|
| 35128000 | 326 D X 530 H X 120 L |



FINISH

White steel

Kitchen equipment

Corner unit

Dolphin sliding pull-out



| F | A | B |
|-----|-------------|-------------|
| 450 | min. 860 mm | min. 410 mm |

REFERENCE

48145014 right

48146014 left

FRONT UNIT

450

450



FINISH

Chrome steel ●

OBSERVATIONS

Round wire with white melamine base. Maximum load 20 kg each basket. With easy opening and soft closing system.

Dolphin sliding pull-out



| F | A | B |
|-----|-------------|-------------|
| 450 | min. 860 mm | min. 410 mm |

REFERENCE

49008007 right

49009007 left

FRONT UNIT

450

450


FINISH

Anthracite steel ●

OBSERVATIONS

Flat wire with anthracite melamine base. Maximum load 20kg each basket. With easy opening and soft closing system.

Articulated pull-out frame



REFERENCE

45050014 right

45051014 left

FRONT UNIT

min. 400 ⇔ max. 450

min. 400 ⇔ max. 450

FINISH


Chrome steel



OBSERVATIONS

Round wire with white melamine base. Soft closing. Maximum load 9.5 kg interior basket, 8kg front basket.

Articulated pull-out frame



REFERENCE

49014007 right

49015007 left

FRONT UNIT

min. 400 ⇔ max. 450

min. 400 ⇔ max. 450

FINISH


Anthracite steel



OBSERVATIONS

Flat wire with anthracite melamine base. Soft closing. Maximum load 9.5 kg interior basket, 8 kg front basket.

Articulated pull-out frame



REFERENCE

45201014 reversible

FRONT UNIT



min. 400 ⇄ max. 450

FINISH


Chrome steel

OBSERVATIONS

Reversible. With white melamine base. Soft closing. It's possible to pull-out all the baskets. Maximum load 8 kg basket.



Pull-out frame



| REFERENCE | FRONT UNIT | ARTICLE MEASURES | BASKETS |
|-----------|------------|------------------|---------|
| 53104014 | 300 | 1600 ⇄ 2000 H | 5 |
| 53108014 | 300 | 1900 ⇄ 2300 H | 6 |
| 53107014 | 450 | 1600 ⇄ 2000 H | 5 |
| 53111014 | 450 | 1900 ⇄ 2300 H | 6 |
| 53116014 | 600 | 1600 ⇄ 2000 H | 5 |
| 53117014 | 600 | 1900 ⇄ 2300 H | 6 |


FINISH

Silver steel ●

OBSERVATIONS

Round wire clip-on basket with white melamine base. Soft closing maximum load 120Kg. Roller Runner.

Swivel centre upright frames



| REFERENCE | FRONT UNIT | ARTICLE MEASURES | BASKETS |
|-----------|------------|-----------------------|---------|
| 48278014 | 300 | 1600 ⇄ 2000 H X 495 L | 5 |
| 48279014 | 300 | 1900 ⇄ 2300 H X 495 L | 6 |
| 48281014 | 400 | 1600 ⇄ 2000 H X 495 L | 5 |
| 48282014 | 400 | 1900 ⇄ 2300 H X 495 L | 6 |


FINISH

Chrome steel ●

OBSERVATIONS

Clip-on baskets with white melamine base, chrome finish. Maximum load 80 kg.

Pantry column



| REFERENCE | FRONT UNIT | ARTICLE MEASURES | BASKETS |
|-----------|------------|------------------|---------|
| 48284014 | 450 | 1470 H X 495 L | 5 + 5 |
| 48285014 | 450 | 1870 H X 495 L | 6 + 6 |
| 48287014 | 600 | 1470 H X 495 L | 5 + 5 |
| 48288014 | 600 | 1870 H X 495 L | 6 + 6 |


FINISH

Chrome steel ●

OBSERVATIONS

Round wire baskets with white melamine base, chrome finish. With soft closing. Reversible. Maximum load frontal frame 20 kg, 80 kg interior frame.

Titan Pantry column



| REFERENCE | FRONT UNIT | ARTICLE MEASURES | BASKETS |
|-----------|------------|------------------|---------|
| 49040007 | 450 | 1850 H X 498 L | 5 |
| 49041007 | 600 | 1850 H X 498 L | 5 |

FINISH

Anthracite steel ●

OBSERVATIONS

Flat wire baskets with anthracite melamine base. With soft closing. Reversible. Maximum load 12kg each basket, 100kg interior frame.

Bedroom equipment

Menage Confort presents its line of accessories for interior wardrobe space with adaptable units, manufactured from high quality materials. The use of these systems makes the most of the available space in your wardrobe, enabling a tidy distribution and an easy access to all the clothes kept in it. In this new line we have gone to great lengths in both the physical aspect and the impeccable functionality.



Pull-out trouser holders



Shoe holders



Pull-out baskets and shelves



Hangers and multi-purpose holders



Pull-out mirrors



Super lifts





Bedroom equipment

Pull-out trouser holder



| REFERENCE | ARTICLE MEASURES | USEFUL UNITS |
|-----------|-------------------------------|--------------|
| 42113014 | 500 ⇄ 600 D X 63 H X 476, 5 L | 8 |
| 42111014 | 800 ⇄ 900 D X 63 H X 476, 5 L | 14 |

FINISH


Silver steel

OBSERVATIONS

Quadro Hettich runners. Maximum load 30 kg.

OPTIONAL ACCESSORIES

Trouser holder



REFERENCE
42089014

FINISH

Silver steel

| Measures (from - to) | Recommended units |
|-------------------------|-------------------|
| 500 - 550 D 800 - 850 D | 0 |
| 550 - 590 D 850 - 890 D | 1 |
| 590 - 600 D 890 - 900 D | 2 |

Accesories basket





REFERENCE
42100314

FINISH

Grey ABS

| Measures (from - to) | Recommended units |
|-------------------------|-------------------|
| 500 - 550 D 550 - 590 D | 1 |
| 590 - 600 D 800 - 850 D | 2 |
| 850 - 890 D 890 - 900 D | 3 |

Spacer




REFERENCE
42103314

FINISH

Grey polypropylene

Bedroom equipment

Pull-out trouser holder



| REFERENCE | ARTICLE MEASURES | USEFUL UNITS |
|-----------|----------------------|--------------|
| 39074014 | 680 D X 97 H X 490 L | 18 |


FINISH

Chrome Steel ●

OBSERVATIONS

For 18 trousers. Holders with antislip coat. With multipurpose basket. Runner with soft closing.

Pull-out trouser holder



| REFERENCE | ARTICLE MEASURES | FRONT UNIT |
|-----------|--------------------|------------|
| 39073014 | 353D x 116H x 490L | 9 |

FINISH


Chrome steel ●

OBSERVATIONS

Reversible. For 9 trousers. Holders with antislip coat. With multi-purpose basket. Runner with soft closing.

Bedroom equipment

Pull-out trouser holder



| REFERENCE | ARTICLE MEASURES | USEFUL UNITS |
|-----------|----------------------|--------------|
| 39055014 | 330 D X 95 H X 470 L | 11 |


FINISH

Chrome Steel ●

OBSERVATIONS

Reversible

Sleeve protector/Suit holder



| REFERENCE | ARTICLE MEASURES |
|-----------|----------------------|
| 42095014 | 214 D X 221 H X 35 L |

FINISH


Stainless steel ●

OBSERVATIONS

Double use, depending position.

Bedroom equipment

Pull-out hanger



| REFERENCE | ARTICLE MEASURES | USEFUL UNITS |
|-----------|---------------------|--------------|
| 42076014 | 68 D X 56 H X 445 L | |


FINISH

Silver steel

OBSERVATIONS

Maximum load 15 kg.

Pull-out tie-belt holder



| REFERENCE | ARTICLE MEASURES | HAND-SIDE |
|-----------|--------------------|-----------|
| 39068014 | 70.5D x 55H x 458L | Right |
| 39069014 | 70.5D x 55H x 458L | Left |

FINISH


Stainless steel

OBSERVATIONS

Runner with soft closing.

Bedroom equipment

Pull-out shoe holder



| REFERENCE | ARTICLE MEASURES |
|-----------|-------------------------------|
| 42052014 | 500 ⇄ 600 D X 137 H X 476,5 L |
| 42058014 | 800 ⇄ 900 D X 137 H X 476,5 L |

FINISH


Silver steel



OBSERVATIONS

Adjustable for 16 to 19 mm cabinet thickness. Quadro Hettich runners. Maximum load 30 kg.

Pull-out shelf set



| REFERENCE | ARTICLE MEASURES |
|---------------|------------------|
| 42087014 / 01 | 44 H X 480 L |

FINISH

14 Silver steel



01 Bronze steel




OBSERVATIONS

Adjustable for 16/19 mm base thickness. Quadro Hettich runners. Maximum load 30 kg.

Bedroom equipment

Pull-out basket




| REFERENCE | ARTICLE MEASURES |
|-----------|-------------------------------|
| 42016014 | 500 ⇄ 600 D X 137 H X 476,5 L |
| 42022014 | 800 ⇄ 900 D X 137 H X 476,5 L |


FINISH
Silver steel ●

OBSERVATIONS
Adjustable for 16/19 mm base thickness. Quadro Hettich runners. Maximum load 30 kg.

Spacer




REFERENCE
42103314
FINISH
Grey polypropylene ●




REFERENCE
42096014
FINISH
Silver steel ●

Divider




REFERENCE
42097314
FINISH
Grey polyamide ●

Accessories basket



REFERENCE
42098314
FINISH
Grey ABS ●

Accessories basket B



REFERENCE
42099314
FINISH
Grey ABS ●

Bedroom equipment

Pull-out laundry basket



| REFERENCE | ARTICLE MEASURES |
|-----------|-------------------------------|
| 42085014 | 500 ⇄ 550 D X 466 H X 476,5 L |
| 42086014 | 550 ⇄ 600 D X 466 H X 476,5 L |

FINISH

Silver steel



OBSERVATIONS

Quadro Hettich runners. Maximum load 30 kg. Padded cloth, washable clear grey.

Pull-out cloth basket



| REFERENCE | ARTICLE MEASURES |
|-----------|-------------------------------|
| 42077014 | 500 ⇄ 550 D X 175 H X 476,5 L |
| 42078014 | 550 ⇄ 600 D X 175 H X 476,5 L |

FINISH

Silver steel




OBSERVATIONS

Quadro Hettich runners. Maximum load 30 kg. Padded cloth, washable clear grey.

Bedroom equipment

Oval tube



REFERENCE ARTICLE MEASURES
46034214 / 01 16D x 31H x 2000L


FINISH

14 Silver aluminium 01 Bronze aluminium

OBSERVATIONS

Bar to hang clothes.

Soft oval tube



REFERENCE ARTICLE MEASURES
39106214 15 D X 30 H X 2000 L

FINISH


Silver aluminium

OBSERVATIONS

Bar to hang clothes with non-slip top rubber profile.

Bedroom equipment

Oval tube holder set



| REFERENCE | ARTICLE MEASURES |
|---------------|----------------------|
| 46008914 / 01 | 20 D X 46 H X 22,5 L |


FINISH

14 Silver zamak 01 Bronze zamak

OBSERVATIONS

Holder accessory for the oval tube. Maximum load: 20 kg.

Oval tube holder set



| REFERENCE | ARTICLE MEASURES |
|-----------|--------------------|
| 39058314 | 25 D X 66 H X 12 L |

FINISH

Silver polystyrene

OBSERVATIONS

Holder accessory for the oval tube.

Bedroom equipment

Pull-out mirror



REFERENCE

ARTICLE MEASURES

42093014

50 D X 596 H X 480 L

42094014

50 D X 1405 H X 480 L



FINISH

Silver steel



OBSERVATIONS

Full extension ball bearing runners. Aluminium handle anodized silver.



Bedroom equipment

Super lift



REFERENCE

39062014

39063014

ARTICLE MEASURES

600 ⇄ 830 D X 850 H X 140 L

830 ⇄ 1150 D X 850 H X 140 L


FINISH

Chrome steel



OBSERVATIONS

Maximum load 12 kg.



Bedroom equipment




Super lift



| REFERENCE | ARTICLE MEASURES |
|-----------|------------------------------|
| 41037014 | 600 ⇄ 1000 D X 850 H X 140 L |
| 41038014 | 770 ⇄ 1200 D X 850 H X 140 L |

FINISH
Silver steel ●

OBSERVATIONS
Maximum load 10 kg.



Structura modular system

Structura is a versatile, practical and functional system. Suitable to any environment. We present it in two finishings: silver and bronze. Easily combinable and with different melamine and wood tones. The stability and load capacity has been carefully tested as well as the fast and easy assembly system. All the features described, collectively combined, define the Structura Range.



STRUCTURA IN THE DRESSING ROOM



STRUCTURA IN THE LIVING ROOM



STRUCTURA IN THE BEDROOM




STRUCTURA IN THE BATHROOM



Structura modular system

Wall fixing kit



| REFERENCE | ARTICLE MEASURES |
|---------------|-----------------------|
| 46001214 / 01 | 30 D X 2200 H X 300 L |


FINISH

14 Silver aluminium  01 Bronze aluminium 

OBSERVATIONS

Floor-wall fixing. Angle with concealed joint.

Shelf holder set



| REFERENCE | ARTICLE MEASURES |
|---------------|---------------------|
| 46025914 / 01 | 144 D X 24 H X 18 L |

FINISH


14 Silver zamak  01 Bronze zamak 

OBSERVATIONS

Accessory for melamine shelves. Maximum load: 20 kg (1 set) for shelves, and 50 kg (2 sets) for cabinets.

Structura modular system

Glass shelf holder set



| REFERENCE | ARTICLE MEASURES |
|---------------|---------------------|
| 46032914 / 01 | 144 D X 36 H X 22 L |


FINISH

14 Silver aluminium  01 Bronze aluminium 

OBSERVATIONS

Accessory for glass shelves. Maximum load: 10 kg.

Shoe shelf holder set



| REFERENCE | ARTICLE MEASURES |
|---------------|---------------------|
| 46026914 / 01 | 144 D X 55 H X 18 L |

FINISH


14 Silver zamak  01 Bronze zamak 

OBSERVATIONS

Accessory for melamine tiled shelves. Maximum load: 20 kg.

Structura modular system

Oval tube



| REFERENCE | ARTICLE MEASURES |
|---------------|-------------------|
| 46034214 / 01 | 16D x 31H x 2000L |


FINISH

14 Silver aluminium  01 Bronze aluminium 

OBSERVATIONS

Bar to hang clothes.

Oval tube holder set



| REFERENCE | ARTICLE MEASURES |
|---------------|----------------------|
| 46027914 / 01 | 81 D X 35 H X 34,7 L |

FINISH


14 Silver zamak  01 Bronze zamak 

OBSERVATIONS

Holder accessory for the oval tube. Maximum load: 20 kg.

Structura modular system

Oval tube holder set



| REFERENCE | ARTICLE MEASURES |
|---------------|----------------------|
| 46008914 / 01 | 20 D X 46 H X 22,5 L |


FINISH

14 Silver aluminium ● 01 Bronze aluminium ●

OBSERVATIONS

Holder accessory for the oval tube. Maximum load: 20 kg.

Soft oval tube



| REFERENCE | ARTICLE MEASURES |
|-----------|----------------------|
| 39106214 | 15 D X 30 H X 2000 L |

FINISH



Silver aluminium ●

OBSERVATIONS

Bar to hang clothes with non-slip top rubber profile.

Structura modular system

Front profile



| REFERENCE | ARTICLE MEASURES |
|---------------|--------------------------|
| 46033214 / 01 | 22,5 D X 43,5 H X 2000 L |




FINISH

14 Silver aluminium ● 01 Bronze aluminium ●

OBSERVATIONS

Front shelf accessory.

Leg holder



| REFERENCE | ARTICLE MEASURES |
|-----------|--------------------------|
| 46019914 | 263 D X 45 ↔ 55 H X 43 L |

FINISH


Silver zamak ●

OBSERVATIONS

Recommended for pull-out accessories. It gives the system more stability.

Structura modular system

Corner holder



| REFERENCE | ARTICLE MEASURES |
|-----------|--------------------|
| 46013014 | 80 D X 30 H X 80 L |


FINISH

Silver steel 

OBSERVATIONS

Holder accessory for corner shelves and cabinets.

Super lift holder set



| REFERENCE | ARTICLE MEASURES |
|-----------|---------------------|
| 46031014 | 140 D X 259 H X 8 L |

FINISH


Silver steel 

OBSERVATIONS

Accessory to adapt the lifts to the modular System. Maximum load 12 kg.

Structura modular system

Runner adaptor set



| REFERENCE | ARTICLE MEASURES |
|-----------|---------------------|
| 46029014 | 353 D X 88 H X 17 L |


FINISH

Silver steel

OBSERVATIONS

Accessory to adapt pull-out fittings. Maximum load 20 kg.

PULL-OUTS TO ADAPT TO RUNNER ADAPTOR



VARIOUS ACCESSORIES FOR DIFFERENT FUNCTIONS



Fittus



**Furniture
Fittings
Systems**

Vision

The world's best engineering for precision components

Mission

To provide manufacturers with components' solutions that improve competitiveness



Titus Business Philosophies and Principles

- Gain total knowledge of our customers and their markets
- Focus on identifying and creating high volume component niches
- Meet our customers' expectations with global consistency
- Build long term associations with customers, suppliers, colleagues and shareholders
- Invest in the abilities of individuals at every level
- Continuously enhance input efficiency and sustainability

Continuous Improvement

The Titus Group Mission, to improve the competitiveness of our customers, encourages us to continuously improve our products, services, processes and competencies of our employees.

Quality


We believe that the Titus Mission is achieved most effectively through the management of our design, manufacturing and service activities in conformance with the ISO 9001 standard for quality management. Quality has a broad meaning for us: it is our guide to the selection of materials, work, processes, internal relations and cooperation with partners.

Products

Our integrated quality system produces technically optimized products of high quality. They are assessed regularly in our own test labs as well as by internationally renowned institutions, such as LGA from Germany, CTBA from France, FIRA from United Kingdom, CATAS from Italy, AIDIMA from Spain, and others.




Tekform Drawer




- Tekform Slimline Drawer
- Tekform Drawer

Slimline Drawer



SDWD 70



| Nominal length | Item number | Anthracite grey |
|----------------|-------------|-----------------|
| 400 | 655-8E40- | 185 |
| 450 | 655-8E45- | 185 |
| 500 | 655-8E50- | 185 |
| 550 | 655-8E55- | 185 |

SDWD 145



| | | |
|-----|-----------|-----|
| 400 | 655-8G40- | 185 |
| 450 | 655-8G45- | 185 |
| 500 | 655-8G50- | 185 |
| 550 | 655-8G55- | 185 |

SDWD 182




| | | |
|-----|-----------|-----|
| 400 | 655-8H40- | 185 |
| 450 | 655-8H45- | 185 |
| 500 | 655-8H50- | 185 |
| 550 | 655-8H55- | 185 |

Technical Guide

How to choose the appropriate drawer dimension?

Select the drawer size based on available cabinet space. Please refer to the chart below with indicated minimum space required in cabinet to choose appropriate drawer system.



Tekform drawer nominal length (NL) in mm

| | | | | |
|----|-----|-----|-----|-----|
| NL | 400 | 450 | 500 | 550 |
|----|-----|-----|-----|-----|

| | Tekform drawer | | Tekform drawer with inner front | |
|-------------------------------|------------------------|-----------------|---------------------------------|-----------------|
| | Min. height H required | Cabinet depth D | Min. height H required | Cabinet depth D |
| Tekform Slimline drawer DW70 | 115mm | NL + min 3mm | 115mm | NL + min 12mm |
| Tekform Slimline drawer DW145 | 198mm | NL + min 3mm | 198mm | NL + min 12mm |
| Tekform Slimline drawer DW182 | 230mm | NL + min 3mm | 230mm | NL + min 12mm |

Bottom panel and back panel cutting dimensions

Dimensions of bottom and back panel depends on:


- cabinet width
- nominal drawer length
- drawer height

Tekform drawer nominal length (NL) in mm

| | | | | |
|----|-----|-----|-----|-----|
| NL | 400 | 450 | 500 | 550 |
|----|-----|-----|-----|-----|

Cabinet width


ECW: External cabinet width
ICW: Internal cabinet width
NL: Nominal length of drawer



Back panel cutting dimensions

Back panel height depends on the selected drawer height


| | H back panel |
|---------|--------------|
| SDWD70 | 68 |
| SDWD145 | 151 |
| SDWD182 | 183 |



Bottom panel cutting dimensions

| | | | | |
|----|-----|-----|-----|-----|
| NL | 400 | 450 | 500 | 550 |
| L | 390 | 440 | 490 | 540 |

NL= Tekform drawer nominal length (in mm)




Technical Guide

How to choose the appropriate drawer runner fixing positions?

Drawer fixing positions depend on the chosen drawer front type.


Tekform Slimline drawer with standard front

When a standard drawer front is applied, use the third hole on the drawer runner for fixing.



Load capacity


Drawer load capacity is 40 kg.



Expanded tolerances

Tekform drawers provide expanded tolerances in cabinet construction and assures:

- precise drawer alignment
- smooth and silent operating
- Improved drawer stability in open position
- Tekform drawer provides tolerance of +/-1mm on bottom panel width size





bottom panel width tolerance +/- 1mm

Adjustments

 Adjustment needs to be done on both sides of the drawer





Side adjustment

Side adjustment is done through the adjustment screw on the drawer side.




Height adjustment

Release first the locking screw and tighten it back after the front is adjusted.




Inner Drawer Front for Tekform Slimline Drawer



| | | |
|------------------------|---|----------------|
| External cabinet width | Cabinet side thickness=18mm | Antracite grey |
| |  | |
| Item number | | |

Front Panel (Common for DW70, DW145 & DW182)


| | | |
|------|------------|-----|
| 1200 | 655-8085 → | 515 |
|------|------------|-----|




 20 pcs

Made of aluminium

DW70 with Glass



Front bracket




| | |
|------------|-----|
| 655-8305 → | 185 |
|------------|-----|


 40 sets

Made of aluminium and plastic


DW145 with Glass



Front bracket




| | |
|------------|-----|
| 655-8103 → | 385 |
|------------|-----|


 20 sets

Made of aluminium and plastic


DW182 with Glass



Front bracket





| | |
|------------|-----|
| 655-8172 → | 385 |
|------------|-----|

 20 sets

Made of aluminium and plastic

* Glass to be procured locally

Tekform Drawer



| Nominal length | Item number | White | Grey |
|----------------|-------------|-------|------|
|----------------|-------------|-------|------|

DW70



| | | | |
|-----|-----------|-----|-----|
| 270 | 650-8327- | 150 | 180 |
| 300 | 650-8330- | 150 | 180 |
| 350 | 650-8335- | 150 | 180 |
| 400 | 650-8340- | 150 | 180 |
| 450 | 650-8345- | 150 | 180 |
| 500 | 650-8350- | 150 | 180 |
| 550 | 650-8355- | 150 | 180 |

DW145



| | | | |
|-----|-----------|-----|-----|
| 270 | 650-8827- | 150 | 180 |
| 300 | 650-8830- | 150 | 180 |
| 350 | 650-8835- | 150 | 180 |
| 400 | 650-8840- | 150 | 180 |
| 450 | 650-8845- | 150 | 180 |
| 500 | 650-8850- | 150 | 180 |
| 550 | 650-8855- | 150 | 180 |

DW182




| | | | |
|-----|-----------|-----|-----|
| 270 | 650-8927- | 150 | 180 |
| 300 | 650-8930- | 150 | 180 |
| 350 | 650-8935- | 150 | 180 |
| 400 | 650-8940- | 150 | 180 |
| 450 | 650-8945- | 150 | 180 |
| 500 | 650-8950- | 150 | 180 |
| 550 | 650-8955- | 150 | 180 |

Technical Guide

How to choose the appropriate drawer dimension?

Select the drawer size based on available cabinet space. Please refer to the chart below with indicated minimum space

required in cabinet to choose appropriate drawer system.



Tekform drawer nominal length (NL) in mm

| NL | 270 | 300 | 350 | 400 | 450 | 500 | 550 |
|----|-----|-----|-----|-----|-----|-----|-----|
|----|-----|-----|-----|-----|-----|-----|-----|

| | Tekform drawer | | Tekform drawer with inner front | |
|----------------------|------------------------|-----------------|---------------------------------|-----------------|
| | Min. height H required | Cabinet depth D | Min. height H required | Cabinet depth D |
| Tekform drawer DW70 | 105mm | NL + min 3mm | 115mm | NL + min 12mm |
| Tekform drawer DW145 | 185mm | NL + min 3mm | 193mm | NL + min 12mm |
| Tekform drawer DW182 | 224mm | NL + min 3mm | 224mm | NL + min 12mm |

Bottom panel and back panel cutting dimensions

Dimensions of bottom and back panel depends on:


- cabinet width
- nominal drawer length
- drawer height

Tekform drawer nominal length (NL) in mm

| NL | 270 | 300 | 350 | 400 | 450 | 500 | 550 |
|----|-----|-----|-----|-----|-----|-----|-----|
|----|-----|-----|-----|-----|-----|-----|-----|

Cabinet width


ECW: External cabinet width
ICW: Internal cabinet width
NL: Nominal length of drawer



Back panel cutting dimensions

Back panel height depends on the selected drawer height


| | H back panel |
|-------|--------------|
| DW70 | 68 |
| DW145 | 151 |
| DW182 | 183 |



Bottom panel cutting dimensions

| NL | 270 | 300 | 350 | 400 | 450 | 500 | 550 |
|----|-----|-----|-----|-----|-----|-----|-----|
| L | 260 | 290 | 340 | 390 | 440 | 490 | 540 |

NL= Tekform drawer nominal length (in mm)




Technical Guide

How to choose the appropriate drawer runner fixing positions?

Drawer fixing positions depend on the chosen drawer front type.


Tekform drawer with standard front

When a standard drawer front is applied, use the third hole on the drawer runner for fixing.



Load capacity


Drawer load capacity is 40 kg.



Expanded tolerances

Tekform drawers provide expanded tolerances in cabinet construction and assures:

- precise drawer alignment
- smooth and silent operating
- Improved drawer stability in open position
- Tekform drawer provides tolerance of +/-1mm on bottom panel width size





bottom panel width tolerance +/- 1mm

Adjustments



Side adjustment

Side adjustment is done through the adjustment screw on the drawer side.




Height adjustment


Release first the locking screw and tighten it back after the front is adjusted.



Inner Drawer Accessories




Front panel for DW70 | DW145 | DW182



Made of aluminium

Extension panel for DW145 | DW182



Made of aluminium

Front bracket



For DW70



For DW145



For DW182

For DW70

For DW145

For DW182

Made of Plastic and aluminium


Square bar for DW145 | DW182



Made of aluminium

| Nominal length | Item number | White | Grey |
|----------------|-------------|-------|------|
| 900 | 650-8567- | 511 | 512 |
| 1200 | 650-8569- | 511 | 512 |
| 900 | 650-8612- | 511 | 512 |
| 1200 | 650-8614- | 511 | 512 |
| | 650-8912- | 350 | 380 |
| | 650-8913- | 350 | 380 |
| | 650-8915- | 350 | 380 |
| 600 | 650-8600- | 511 | 512 |
| 1200 | 650-8604- | 511 | 512 |

Accessories



Glass sides for DW145

Glass Side

Glass Clip

Glass Clip Set




| Nominal length | Item number | | | |
|----------------|-------------|---------------|---------------|--------------|
| | | Frosted Glass | Plastic White | Plastic Grey |
| 350 | 650-8403- | 391 | | |
| 400 | 650-8404- | 391 | | |
| 450 | 650-8405- | 391 | | |
| 500 | 650-8406- | 391 | | |
| 550 | 650-8407- | 391 | | |
| | 650-8484- | | 350 | 380 |

Glass sides for DW182

Glass Side


Glass Clip

Glass Clip Set



| | | | | |
|-----|-----------|-----|-----|-----|
| 350 | 650-8435- | 391 | | |
| 400 | 650-8440- | 391 | | |
| 450 | 650-8445- | 391 | | |
| 500 | 650-8450- | 391 | | |
| 550 | 650-8455- | 391 | | |
| | 650-8485- | | 350 | 380 |


Cutlery tray For 500mm drawer depth



Suitable for 16-18mm cabinet side thickness

| | | | | |
|-----|-----------|--|-----|-----|
| 450 | 650-8881- | | 350 | 380 |
| 600 | 650-8884- | | 350 | 380 |
| 700 | 650-8886- | | 350 | 380 |
| 800 | 650-8887- | | 350 | 380 |
| 900 | 650-8888- | | 350 | 380 |

Accessories



Drawer storage system for DW145



Made of aluminium and plastic

Drawer storage system for DW182



Divider fitting


Riser

Made of aluminium and plastic

| | Nominal length | Item number | White |
|---|----------------|-------------|-------|
| | 550 | 650-8773- | 511 |
| <p>One set consists of: 3 pcs longitudinal bars 2 pcs transversal bars 4 pcs bar fittings 6 pcs cross connections</p> | | | |
| Divider | 900 | 650-8709- | 511 |
| Riser | | 650-8703- | 350 |
| Divider fitting | | 650-8704- | 350 |

Sliding Door Solutions

Effortless Opening.
Confident Closing.




Sliding Door Solutions

Introduction

Application

For built-in cabinets
Walk-in closets
Room-dividers
Wardrobes




For 2 and 3 door applications



Load capacity

Maximum door weight is 50 kg






Adjustment

Height adjustment

Height adjustment is done through the adjustment screw on the bottom carriage




Adjustment range depends on the preset position. Carriage is factory preset to the lowest value.



Side adjustment



Side adjustment is done through stopper position.






The adjustment defines the gap between doors and cabinet side/wall



Set 200 Sliding Door Mechanism


For bottom running sliding door systems



| Item number for set | Set for 2-doors | Set for 3-doors |
|---|-----------------|-----------------|
| 610-9691-380 > | K1 | K2 |
| Set consists of the following components | | |
| Bottom carriages  | 4 pcs | 6 pcs |
| Top carriages  | 4 pcs | 6 pcs |
| Pan head screws  | 32 pcs | 48 pcs |
| Stopper  | 4 pcs | 6 pcs |
| Nut for stopper  | 4 pcs | 6 pcs |
| Screw M4 x 16 for stopper  | 4 pcs | 6 pcs |
| Self adhesive tape | 5 pcs | 5 pcs |
| Mounting instructions | 1 pc | 1 pc |




Rails and accessories are not included in the set and can be ordered separately



- Door weight max. 50kg
- Door thickness 18-22mm
- Door material wood (chipboard, MDF, solid wood)

Mounting details

Door drilling pattern




X = space available between top and bottom panel
 X - 57 = door height

Top and bottom carriage drilling positions

Titusoft Sd100s Add-on Damper for Set 200


For bottom running sliding door systems







Titusoft SD100s

Technical details

Released position



Drawings show example with components presented above


| Item number | | Grey |
|--|---|------|
| 973-9060 → | | 380 |
| The system consists of the following components | Quantity for 2-door cabinet | |
| Standard component | 2 pcs | |
| Titusoft SD100s mechanism |  | |
| Customized components to suit the customer's sliding door system | 4 pcs | |
| Attachment base |  | |
| Nut | 4 pcs | |
| |  | |
| Screw M4 x 16 | 4 pcs | |
| |  | |



Activator and attachments on this page suit Set200. We offer a customer dedicated design as per its requirements

- Non-handed design
- Effortless door opening with low pull-out force
- Efficient damping on different door sizes
- Slim design for concealed application

Titusoft SD100s capacity



Up to 50kg per door


Mounting details

Non-handed design




Mount Titusoft SD100s on top rail on both sides of the cabinet.
(1 pc Titusoft SD100s per 1 door)

Mounting position



Titusoft SD100s is mounted into the top profile



Fit various U and double U shaped profiles

Space requirements









Slim design with 30mm height allows for concealed application


Rails For Set 200



Screws for top rail are not supplied and depend on the application (cabinet, built-in cabinet). Bottom rail is fixed with self-adhesive tape. Rail is pre-drilled and ready to install.

| Technical details | | Rail length | Item number |
|--|--|---|-----------------|
| <p>Top rail</p>   | | 2000 | 610-9692-070-K1 |
| | | 2400 | 610-9693-070-K1 |
| | | 3000 | 610-9694-070-K1 |
| | <i>*other lengths upon special request</i> | | |
| Set consists of: | | | |
| | Top rail |  | 1 pc |
| | Bottom rail |  | 1 pc |
| <p>Bottom rail</p>   | | | |

Connectors



- System 4
- System 5
- System 6
- System 7

System 4 Quickloc™

One piece expanding connector

- An innovative, one-piece connector, capable of hand insertion
- Is highly tolerant and tightens in less than one turn
- Is a face-bored product
- Offers a high degree of drilling tolerance and is the only connector of its type to provide pull-up of cabinet panels when tightened

System Features

Cost effective one piece fittings with face boring benefits

- Flush and block components
- Face-boring only
- Good tolerances
- One piece connectors
- Quickloc™ versions need only one turn to tighten for fast assembly


Quickloc™ One-piece connector

The integrated housing and dowel make Quickloc™ the most user-friendly and tolerant product available.


- High degree of drilling tolerance
- Push-in design
- Tool-free insertion
- Integrated expanding housing and dowel provide consistently stronger joints
- 'Klix' locking system

Quickloc™ Assembly


1. Press Quickloc into the face board





2. Assemble the panels



3. Tighten in less than one turn



Quickloc Ø20
Flush



| | | |
|-------------|------------|-------|
| | Dark Brown | White |
| Item number | | |

| | | |
|--------|-----|-----|
| 06806- | 831 | 877 |
|--------|-----|-----|

System 5

System Features

The most advanced cam and dowel range


Titus System 5 is a comprehensive range of cam and dowel connecting fittings with 'Klix' and Quickfit features for all cabinet applications: panel-to-panel, panel-to-hollow profile, back-to-back

Dowels

- **Quickfit TL5, 'Full metal jacket'**
a high performance Quickfit dowel for use in multiple wooden materials
- **Quickfit TL2, TL4, TL5 dowels**
a unique solution for factory pre-insertion, high level of drilling tolerances


- **Quickfit dowels**
quick hand insertion, easy assembly
- **Diecast dowels (zinc)**
precise manufacturing, optimal shape and design
- **Turned dowels (steel)**
'traditional' design, smooth surface, best strength performance
- **Combi dowels (zinc and steel)**
high precision of zinc, strength of steel, 100% dimensional accuracy and optimal performance

The most advanced cam and dowel range



2 o'clock lock Smooth closing

Linear cam profile assures smooth, firm tightening action and greater pull-up. The cam always locks at 2 o'clock lock (230°), enabling greater consumer confidence in use while improving furniture quality.



Drilling tolerances

Optimal performance and perfect joint even with inaccurate drilling.





Zinc/Combi dowel



Quickfit TL5 dowel, Quickfit TL2 dowel



Quickfit TL4 dowel




Dowels for factory insertion

- Quickfit TL5, Quickfit TL4 and Quickfit TL2 are the only available dowels allowing factory preinsertion
- Easier packing
 - Less damages in handling
 - Perfect for the RTA market




System 5 Quickfit™ 'Full Metal Jacket'

- Tool-free insertion technology for Ø5mm dowel holes
- Drilling tolerances of +1/-1mm when edge or face inserted
- Expanding steel sleeve assures a strong joint, highly resistant to pull-out
- Suitable for use with Cam5000
- Functions in multiple wooden materials (chipboard, MDF, solid wood)




Technical details

| | | |
|-------------------|-------------|---------------|
| Drilling distance | Item number | Zinc corrosil |
| 34 | 09652 → | 897 |



Made of zinc, plastic

Tolerance range




To be used with Cam5000 only


System 5 Cams and dowels

QuickfitTL dowels

- Available in Ø5mm and Ø8mm for panel-to-panel applications
- Suitable for use with all Ø15mm Cam2000 and Cam3000 products
- 'Klix' locking feature provides a strong, vibration proof joint
- Highly tolerant in edge-inserted.



Quickfit TL2




Made of zinc, plastic

| Drilling distance | Drilling diameter for dowel thread | Item number | Dark Grey |
|-------------------|------------------------------------|-------------|-----------|
| 34 | 5 | 05503- | 880 |
| 34 | 8 | 05474- | 880 |


System 5 Cams and dowels

Quickfit dowels

- Suitable for use with all Ø15mm Cam2000 and Cam3000 products
- 'Klix' locking feature provides a strong, vibration proof joint
- Depth stop collar for accurate insertion



Quickfit dowel
Ø8mm








Made of zinc, plastic

| Drilling distance | Item number | Dark Grey |
|-------------------|-------------|-----------|
| 34 | 05554- | 880 |

System 5 Cams and dowels

Combi dowels




- High quality zinc-steel dowel with greater resistance to torsion and pull-out
- Suitable for use with all Ø12mm and Ø15mm Cam2000 and Cam3000 products
- 'Klix' locking feature provides a strong, vibration proof joint
- Twinstart thread for faster and reliable insertion

|  | | A | N | X | Item number | Zinc |
|---|--|-------------------|----------------|---------------|-------------|------|
| | | Drilling distance | Drilling depth | Thread length | | |
| Combi dowel Ø5   <p>Made of steel and zinc</p> | | 34 | 12 | 11 | 09435- | 885 |
| Combi dowel M6   <p>Made of steel and zinc</p> | | 34 | | 8 | 09592- | 885 |

System 5 Cams and dowels

Double-ended dowels


- Available in Ø7mm
- Suitable for use with all Ø12mm and Ø15mm Cam2000 and Cam3000 products
- No circlip for increased tolerance

|  | | S | L | A | B | Item number | Zinc plated |
|--|--|-------------------|-----------------|----|----|-------------|-------------|
| | | Drilling distance | Panel thickness | | | | |
| Dowel   <p>Made of Steel</p> | | 61 | 67.4 | 34 | 0* | 05757 → | 883 |
| | | 77 | 83.4 | 34 | 16 | 05858 → | 883 |
| | | 80 | 86.4 | 34 | 19 | 05753 → | 883 |
| *B=0 → no panel required | | | | | | | |


System 5 Cams and dowels

Angled dowels

- Suitable for applications requiring angled joints
- Suitable for use with all Ø12mm and Ø15mm Cam2000 and Cam3000 products
- Adjustable angle from 90° to 180°



Angled dowel



Made of Steel

Item number

Zinc Plated


05860-

883



System 5 Cams and dowels

Ø15mm Cam5000

- Improved central shape for highly resistant cam
- Suitable for use with Steel Quickfit TL5 dowels and all other parallel neck dowels
- 'Klix' locking feature provides a strong, vibration proof joint
- Cam retaining pips ensure that cam is held in panel position prior to assembly



Cam5000
hexagonal drive



Made of zinc


| B | D | e | h | Item number | Zinc |
|-----------------|----------------|--------------------|------------|-------------|------|
| Panel thickness | Drilling depth | Drilling for dowel | Cam height | | |
| 15/16 | 12.5 | 7.5-8 | 11.9 | 09699- | 885 |
| 18/19 | 14 | 9-9.5 | 13.2 | 09692- | 885 |



System 5 Cams and dowels

Ø15mm Cam3000

- Its optimised shape provides a more efficient cam profile with smooth tightening action and greater dowel pull-up
- Suitable for use with Combi dowels, forged steel dowels, Quickfit dowels and Quickfit dowels and Quickfit TL2 dowels
- 'Klix' locking feature provides a strong, vibration proof joint
- Cam-retaining pips ensure that a cam is held in panel position prior to assembly





| B | D | e | h | Item number | Zinc |
|-----------------|----------------|--------------------|------------|-------------|------|
| Panel thickness | Drilling depth | Drilling for dowel | Cam height | | |

Cam3000
cross drive



| | | | | | |
|-------|------|-------|------|--------|-----|
| 12/13 | 10.5 | 6 min | 9.9 | 09495- | 885 |
| 15/16 | 12.5 | 7.5-8 | 11.9 | 09533- | 885 |





Made of zinc

Cam3000
Hexagonal drive

combined drive with HEX

| | | | | | |
|-------|----|-------|------|--------|-----|
| 18/19 | 14 | 9-9.5 | 13.2 | 09536- | 885 |
|-------|----|-------|------|--------|-----|

Use standard cover caps with pin=Ø4mm




Made of zinc

System 5 Cams and dowels


Ø15mm Cam2000

- Suitable for use with all Titus dowels
- "Klix" locking feature provides a strong, vibration proof joint
- Linear cam profile results in smooth, easy cam rotation and dowel pull-up




| B | D | e | Item number | Nickel |
|-----------------|----------------|--------------------|-------------|--------|
| Panel thickness | Drilling depth | Drilling for dowel | | |

Cam2000
Ø15



| | | | | |
|-------|------|-------|--------|-----|
| 15/16 | 12.7 | 7.5-8 | 05644- | 847 |
| 18/19 | 14 | 9-9.5 | 05656- | 847 |



Made of zinc

System 6 Quickfit-Expando

System Features

A face boring connector family for 32mm system drilling with full range of panel and application variants for all cabinet manufacturing applications

- Minimum drilling requirements
- Linear cam design for constant tightening loads when driving
- Angledriv feature on cam for maximum driving comfort
- Interchangeable pins for wood, plastic and steel applications
- Toolless fastening capable versions

Housings are made from high grade plastic or zinc, with zinc cams.

Wedgefi x-6 connector is a special fastener without cam, simply to snap onto a preinserted dowel.


Applications

Titus System 6 is ideal for use in high volume production of case goods, closet and garage storage systems. Because no


edge boring is required, it is an excellent choice for manufacturing environments with limited drilling capacity.

Side-entry Drop-on

Side-entry insertion of shelf panel: from the side or from the top




Drop-on insertion of shelf panel: only from the top. Using drop-on connections allows for one-man installation




Angledriv feature


The angledriv feature on the cam allows for the angled position of the screwdriver with the locking action creating a tight and secure joint.



Outrigger





Non Outrigger




Expando function



Expanding housings and dowels provide a tight joint.



Assembly




2. Press the dowel into side panel



3. Assemble the panels

4. Tighten the joint




1. Press the housing into face board

System 6 Quickfit-Expando

Expanding dowels

- Suitable for applications with all Titus Ø20 Expando-6 housings
- 'Klix' locking feature provides a strong, vibration proof connection
- Depth stop collar for accurate insertion




| | | |
|-------------------------------------|-------------|-----------|
| D | | |
| Drilling Diameter for dowels thread | Item number | Dark Grey |

Dowel

| | | |
|---|--------|-----|
| 5 | 06408- | 880 |
|---|--------|-----|



D= Ø5mm




Made of zinc, Plastic

System 6 Quickfit-Expando

Dowels


- Suitable for applications with all Titus Ø20mm Expando-6 housings
- 'Klix' locking feature provides a strong, vibration proof connection
- Dowels feature an integral skirt which acts as a positive stop during insertion



| | | |
|-------------|--|------|
| | | |
| Item number | | Zinc |

Dowel Ø5

| | |
|--------|-----|
| 06402- | 885 |
|--------|-----|




Made of zinc or steel


System 6 Quickfit-Expando

20mm expanding housing
non-outrigger

- Available in 15mm/16mm applications
- Available in all-metal or plastic/metal options
- 'Klix' locking feature provides a strong vibration proof connection
- Compatible with all screw-in and dowels




Drop-on



Made of zinc

Drop-on




Made of plastic

| Panel Thickness | Drilling Depth | Item number | Nickel Plated | White Plastic |
|-----------------|----------------|-------------|---------------|---------------|
| 15/16 | 12.5 | 06447- | 847 | |
| 18/19 | 14 | 06449- | 847 | |
| 15/16 | 12.5 | 06431- | | 877 |
| 18/19 | 14 | 06433- | | 877 |


System 6 Quickfit-Expando

Expanding wedgexif housing (no inner cam)

- Available in 12mm, 15mm/16mm versions for Quickfit-6 and/or Standard Dowel applications
- Wedgexif-6 housing allows easy customer hand assembly or factory automated insertion
- When used with Quickfit-6 dowels this provides a true toolless fastening system



For use with
screw-in
dowels




Made of plastic

| e | B | D | Item number | White |
|------|-------|------|-------------|-------|
| 6 | 12 | 10 | 06470- | 877 |
| 7.75 | 15/16 | 12.5 | 06473- | 877 |



System 6 Quickfit-Expando

20mm expanding housing
outrigger

- Available in 15mm/16mm applications
- Available in all-metal or plastic/metal options
- Compatible with all screw-in and Quickfit System 6 dowels





Drop-on



Made of zinc

Drop-on




Made of plastic

| Panel Thickness | Drilling Depth | Item number | Nickel Plated | White Plastic |
|-----------------|----------------|-------------|---------------|---------------|
| 15/16 | 12.5 | 06455- | 847 | |
| 18/19 | 14 | 06457- | 847 | |
| 15/16 | 12.5 | 06439- | | 877 |
| 18/19 | 14 | 06441- | | 877 |


System 7

Heavy duty Ø20mm cam & dowel

- Dowel available with Ø10mm eurothread and cam available in Ø20mm for a variety of panel thicknesses
- 'Klix' locking feature provides strong, vibration proof joint
- High strength product that eliminates the need for time consuming metal inserts




Cam Ø20



Made of zinc

Dowel Ø7
Ø10mm thread




Made of zinc

| Panel thickness | Item number | Zinc |
|-----------------|-------------|------|
| 18 | 05409- | 885 |
| 18 | 05410- | 885 |


System 7

High Strength Connectors
Contract Fix™ System

- High performance fastener
- Thread design gives repeatability
- Multi-drive recess
- Higher than average pull up




M6 Dowel 7x34




Made of Steel

Housing cylinder
15x12



Made of zinc





Grub screw



Made of zinc


| Item number | Zinc plated | Zinc |
|-------------|-------------|------|
| 05971- | 883 | |
| 05960- | | 885 |
| 05917- | | 885 |

Accessories for Connectors

| | | Item number | White | Raw |
|---|-----------|-------------|-------|-----|
| <p>Ø9 x 13</p>  <p>Made of zinc</p> | 408-3391- | | 600 | |
| <p>(Ø10X13/M6)</p>  | 275-4035- | 200 | | |
| <p>Cover cap Ø17</p>  | 277-4225- | 350 | | |
| <p>Wooden dowel</p>  <p>8x38 6x30</p> | 8x38 | 180994 | | |
| | 6x30 | 180999 | | |

Hinges


Titus New Generation Hinge



- T-type Glissando 110
- S-Type 110
- B-Type 110
- Glissando
- Glissando TL170
- S-Type 170
- B-Type Pie-cut

A Comprehensive Range

T-type hinge



- Titus New Generation hinge for quick furniture assembly and consistent performance on wide range of doors
- Easy door installation even in case of 4-5 hinges per door.
- 3Way snap-on mounting
- Highly tolerant
- Adjustable damping
- Low hinge cup depth

| Opening angle | Door thickness | Cranking | Door tab K | Mounting mode | Mounting plate type | Soft closing options | Durability (cycles) |
|---------------|----------------|----------|------------|----------------|---------------------------------|---|---------------------|
| 110° | 15-26mm | 0mm | 3-6mm | '3Way' snap-on | cruciform linear for face frame | Damping integrated in the hinge cup | 1,00,000 |
| | | 9mm | | | | Glissando add-on or stand-alone damping solutions | |
| | | 17mm | | | | | |

S-type hinge



- Simple and quick snap-on mounting system
- Easy assembly and disassembly
- Adjustable damping
- ConfidentClose
- Push to open for handleless furniture

| Opening angle | Door thickness | Cranking | Door tab K | Mounting mode | Mounting plate type | Soft closing options | Durability (cycles) |
|---------------|----------------|----------|------------|---------------|--------------------------|---|---------------------|
| 110° | 16-24mm | 0mm | 3-5mm | snap-on | cruciform for face frame | Damping integrated in the hinge cup | 80,000 |
| 170° | | 9mm | | | | Glissando add-on or stand-alone damping solutions | |
| | | 15mm | | | | | |


B-type hinge



- Reliable slide-on mounting system
- Simplicity in use
- Adjustable damping
- Confident Close
- Reliable door closing

| Opening angle | Door thickness | Cranking | Door tab K | Mounting mode | Mounting plate type | Soft closing options | Durability (cycles) |
|---------------|----------------|----------|------------|---------------|---------------------|---|---------------------|
| 110° | 16-24mm | 0mm | 3-5mm | slide-on | cruciform | Damping integrated in the hinge cup | 80,000 |
| | | 9mm | | | | Glissando add-on or stand-alone damping solutions | |
| | | 15mm | | | | | |

Concealed Hinges Adjustment




Side Adjustment

The side adjustment aligns the door with the side of the cabinet.

By rotating the adjustment screw

The side adjustment is made by rotating the screw on the hinge arm.

- T-type +3/-1mm
- S-type +3/-1mm
- B-type +3/-0.5mm




Height Adjustment

Height adjustment is necessary to achieve optimal vertical door position.

By rotating the cam adjuster

The height adjustment is made by rotating the cam adjuster


- T-type +2/-2mm



By releasing the screw slot

For height adjustment the two mounting plate fixing screws have to be temporarily released while making the manual adjustment.

- S-type +2/-2mm
- B-type +2/-2mm




Depth Adjustment

The system enables easy adjustment of the gap between door and cabinet.

By rotating the cam adjuster Rotate the cam adjuster on the hinge arm.


- T-type +4/-1mm



By releasing the fixing or adjustment screw



The depth adjustment is made by temporarily releasing the adjustment screw (S-type) or fixing screw (B-type, Hinge O40). After the adjustment is made the screw has to be re-tightened.

- S-type +5/-1.5mm
- B-type +4/-0mm



T-type Glissando 110


- Opening angle 110°
- Drilling diameter for hinge cup 35mm
- Drilling depth 11.7mm
- Hinge on plate mounting system '3 way' snap-on



Item number

Cranking

0mm





701-0AT0-054

Made of steel

Cranking

9mm





701-0CT0-054

Made of steel

Cranking

17mm




701-0DT0-054

Made of steel

S-type 110

- Opening angle 110°
- Drilling diameter for hinge cup 35mm
- Drilling depth 11.7mm
- Hinge on plate mounting system 'snap-on'




Crank Item number

0 248-0535-050

9 248-0536-050


15 248-0537-050



Made of steel

B-type 110

- Opening angle 135°-165°
- Drilling diameter for hinge cup 35mm
- Drilling depth 12mm
- Hinge on plate mounting system 'slide-on'




Crank Item number

0 248-0G54-050

9 248-0G55-050



15 248-0G56-050



Made of steel

Glissando

Add-on Hinge Soft Closing Solution





Item number

Glissando TL 'snap-on'

- S-type 110
- B-type 110


951-0X94-050



Made of steel and plastic

Glissando TL 170



Add-on Hinge Soft Closing Solution



Item number

Glissando TL170

951-0F15-650



Soft closing mechanism

Striking plate




Made of steel and plastic

S-type 170


- Opening angle
- Drilling diameter for hinge cup
- Drilling depth
- Hinge on plate mounting system

135°-165°
35mm
12mm
'snap-on'



Item number

248-0R14-050




0mm

Made of steel and zinc

B-type for Pie-cut Corner Cabinet

- Drilling diameter for hinge cup
- Drilling depth
- Hinge on plate mounting system


35mm
11.5mm
'snap-on'



Item number

248-0T81-050


Corner cabinet



Cup made of steel, arm made of zinc


Accessories

Other Functional Fittings



- Push latch
- Titusoft
- Glissando CR
- Joining Plates
- Shelf Supports


Push Latch



Push Latch


Linear mounting plate

Made of steel and plastic




Item number

915-0X59-381-K2



Push Latch with magnetic catch




Push Latch

Linear mounting plate


Self adhesive pad

Made of steel and plastic




Item number


915-0D22-381-K2



Titusoft



Titusoft WD
Soft Closing System
for wooden drawer



Titusoft mechanism

Activator


Made of plastic

Item number

973-0X35-380-K1

Glissando CR

Stand-alone door soft Closing System




Glissando CR




For full overlay hinge



For half overlay hinge



Nominal 11
(Adjustment: Nominal + 5mm)



(Adjustment: Nominal + 5mm)


Made of plastic

| Hinge opening angle | Cranking | Item number | Grey |
|---------------------|----------|-------------|------|
| 110 | 0 | 972-0X19 | 380 |
| 110 | 9 | 972-0X34 | 380 |

• Fixing screw included in a set


Joining Plates

- Rigid and strong
- No pre-drilling
- Spacer pegs provide an even 2mm gap
- Sleek design




| | |
|-------------|--------|
| | |
| Item number | Nickel |

Joining plate 105m



| | |
|----------|-----|
| 360-1222 | 054 |
|----------|-----|

Joining plate 43mm



| | |
|----------|-----|
| 360-1230 | 054 |
|----------|-----|

Shelf Supports

- Folding design allows the shelf to be post mounted in an assembled cabinet
- To suit a wide range of shelf thicknesses

Made of zinc

| | |
|-------------|--------|
| | |
| Item number | Nickel |
| 01825 | 847 |

Made of zinc

| | |
|-------|-----|
| | |
| 01852 | 847 |



JYOTIARCH INTERIOR HARDWARE SOLUTIONS LLP

A - 111, Sagar Tech Plaza, Sakinaka, Andheri (E),
Mumbai - 72. Tel: 022-42421000 (20 Lines)

Mob.: 9004187587 / 9819331584

Email: info@jyoti-group.in | Web: www.jyoti-group.in